

Lagerliste Niedermann Holz GmbH

Stand: 05.03.2024, Seite: 1

Buchen Klotz und Lose FSC

| 9645 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
|------|-----------|--------|-------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|--------------|---------------|--------------|--------------|
| | 9 | 35 | 5.00 | 28 | 36 | 41 | 45 | 46 | 43 | 38 | 34 | 26 | | | | | | | | | 3.370 | 45.000 | 16.85 | 0.590 |
| | 1 | 35 | 4.40 | 42 | | | | | | | | | | | | | | | | | 0.420 | 4.400 | 1.85 | 0.065 |
| | 10 | | | | | | | | | | | | | | | | | | | | | 49.400 | 18.70 | 0.655 |
| 8130 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
| | 10 | 40 | 5.00 | 21 | 30 | 37 | 33 | 42 | 42 | 45 | 41 | 40 | 35 | | | | | | | | 3.660 | 50.000 | 18.30 | 0.732 |
| | 1 | 40 | 4.50 | 28 | | | | | | | | | | | | | | | | | 0.280 | 4.500 | 1.26 | 0.050 |
| | 11 | | | | | | | | | | | | | | | | | | | | | 54.500 | 19.56 | 0.782 |
| 8131 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
| | 9 | 40 | 5.00 | 30 | 37 | 42 | 41 | 36 | 40 | 44 | 37 | 36 | | | | | | | | | 3.430 | 45.000 | 17.15 | 0.686 |
| | 9 | | | | | | | | | | | | | | | | | | | | | 45.000 | 17.15 | 0.686 |
| 8132 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
| | 9 | 40 | 5.00 | 24 | 34 | 38 | 41 | 41 | 38 | 43 | 40 | 35 | | | | | | | | | 3.340 | 45.000 | 16.70 | 0.668 |
| | 9 | | | | | | | | | | | | | | | | | | | | | 45.000 | 16.70 | 0.668 |
| 8133 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
| | 8 | 40 | 4.50 | 22 | 34 | 40 | 39 | 40 | 38 | 40 | 35 | | | | | | | | | | 2.880 | 36.000 | 12.96 | 0.518 |
| | 1 | 40 | 3.90 | 43 | | | | | | | | | | | | | | | | | 0.430 | 3.900 | 1.68 | 0.067 |
| | 1 | 40 | 3.50 | 28 | | | | | | | | | | | | | | | | | 0.280 | 3.500 | 0.98 | 0.039 |
| | 10 | | | | | | | | | | | | | | | | | | | | | 43.400 | 15.62 | 0.624 |
| 8134 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
| | 9 | 40 | 4.30 | 24 | 34 | 42 | 46 | 47 | 50 | 50 | 46 | 37 | | | | | | | | | 3.760 | 38.700 | 16.17 | 0.647 |
| | 1 | 40 | 3.90 | 49 | | | | | | | | | | | | | | | | | 0.490 | 3.900 | 1.91 | 0.076 |
| | 10 | | | | | | | | | | | | | | | | | | | | | 42.600 | 18.08 | 0.723 |
| 8135 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
| | 8 | 40 | 4.50 | 21 | 31 | 39 | 39 | 41 | 43 | 31 | 39 | | | | | | | | | | 2.840 | 36.000 | 12.78 | 0.511 |
| | 2 | 40 | 4.20 | 37 | 42 | | | | | | | | | | | | | | | | 0.790 | 8.400 | 3.32 | 0.133 |
| | 10 | | | | | | | | | | | | | | | | | | | | | 44.400 | 16.10 | 0.644 |
| 8136 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
| | 9 | 40 | 4.50 | 20 | 31 | 36 | 41 | 41 | 38 | 42 | 40 | 37 | | | | | | | | | 3.260 | 40.500 | 14.67 | 0.587 |
| | 9 | | | | | | | | | | | | | | | | | | | | | 40.500 | 14.67 | 0.587 |

Lagerliste Niedermann Holz GmbH

Stand: 05.03.2024, Seite: 2

| 9640 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
|---------------------------|------------|--------|-------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----------------|---------------|---------------|-------|
| | 6 | 52 | 5.40 | 28 | 37 | 46 | 49 | 48 | 45 | | | | | | | | | | | | 2.530 | 32.400 | 13.66 | 0.710 |
| | 1 | 52 | 5.30 | 44 | | | | | | | | | | | | | | | | | 0.440 | 5.300 | 2.33 | 0.121 |
| | 1 | 52 | 5.20 | 44 | | | | | | | | | | | | | | | | | 0.440 | 5.200 | 2.29 | 0.119 |
| | 8 | | | | | | | | | | | | | | | | | | | | 42.900 | 18.28 | 0.950 | |
| 9641 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
| | 7 | 52 | 5.30 | 17 | 30 | 37 | 43 | 45 | 44 | 36 | | | | | | | | | | | 2.520 | 37.100 | 13.36 | 0.695 |
| | 1 | 52 | 5.00 | 44 | | | | | | | | | | | | | | | | | 0.440 | 5.000 | 2.20 | 0.114 |
| | 8 | | | | | | | | | | | | | | | | | | | | 42.100 | 15.56 | 0.809 | |
| 9642 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
| | 2 | 52 | 5.50 | 43 | 35 | | | | | | | | | | | | | | | | 0.780 | 11.000 | 4.29 | 0.223 |
| | 3 | 52 | 5.40 | 28 | 36 | 43 | | | | | | | | | | | | | | | 1.070 | 16.200 | 5.78 | 0.300 |
| | 4 | 52 | 5.30 | 44 | 45 | 45 | 44 | | | | | | | | | | | | | | 1.780 | 21.200 | 9.43 | 0.491 |
| | 9 | | | | | | | | | | | | | | | | | | | | 48.400 | 19.50 | 1.014 | |
| 9643 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
| | 9 | 52 | 4.90 | 29 | 41 | 47 | 50 | 50 | 50 | 50 | 47 | 38 | | | | | | | | | 4.020 | 44.100 | 19.70 | 1.024 |
| | 9 | | | | | | | | | | | | | | | | | | | | 44.100 | 19.70 | 1.024 | |
| 7009 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
| | 8 | 65 | 5.00 | 30 | 40 | 49 | 48 | 47 | 51 | 49 | 41 | | | | | | | | | | 3.550 | 40.000 | 17.75 | 1.154 |
| | 8 | | | | | | | | | | | | | | | | | | | | 40.000 | 17.75 | 1.154 | |
| 7020 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
| | 3 | 65 | 4.50 | 48 | 47 | 36 | | | | | | | | | | | | | | | 1.310 | 13.500 | 5.90 | 0.383 |
| | 3 | 65 | 4.20 | 40 | 50 | 50 | | | | | | | | | | | | | | | 1.400 | 12.600 | 5.88 | 0.382 |
| | 2 | 65 | 4.00 | 27 | 53 | | | | | | | | | | | | | | | | 0.800 | 8.000 | 3.20 | 0.208 |
| | 8 | | | | | | | | | | | | | | | | | | | | 34.100 | 14.98 | 0.973 | |
| Buchen Klotz und Lose FSC | | | | | | | | | | | | | | | | | | | | | | | | |
| Gesamt | 128 | | | | | | | | | | | | | | | | | | | | 616.400 | 242.34 | 11.293 | |

Lagerliste Niedermann Holz GmbH

Stand: 05.03.2024, Seite: 3

Douglas

| 25508 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
|--------|-----------|--------|-------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|--------------|----------------|--------------|--------------|
| | 17 | 52 | 5.00 | 34 | 45 | 21 | 14 | 53 | 44 | 39 | 28 | 59 | 20 | 14 | 34 | 61 | 20 | 20 | 63 | 14 | 5.830 | 85.000 | 29.15 | 1.516 |
| | 17 | 52 | 5.00 | 14 | 61 | 38 | 41 | 36 | 39 | 32 | 47 | 43 | 39 | 61 | 20 | 35 | 35 | 32 | 38 | 56 | 6.670 | 85.000 | 33.35 | 1.734 |
| | 2 | 52 | 5.00 | 49 | 36 | | | | | | | | | | | | | | | | 0.850 | 10.000 | 4.25 | 0.221 |
| | 36 | | | | | | | | | | | | | | | | | | | | | 180.000 | 66.75 | 3.471 |
| 100829 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
| | 14 | 52 | 4.80 | 43 | 24 | 24 | 27 | 24 | 31 | 30 | 31 | 32 | 28 | 23 | 12 | 28 | 14 | | | | 3.710 | 67.200 | 17.81 | 0.926 |
| | 14 | | | | | | | | | | | | | | | | | | | | | 67.200 | 17.81 | 0.926 |
| 100830 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
| | 14 | 52 | 4.90 | 37 | 21 | 25 | 27 | 24 | 22 | 31 | 22 | 28 | 22 | 30 | 24 | 15 | 21 | | | | 3.490 | 68.600 | 17.10 | 0.889 |
| | 14 | | | | | | | | | | | | | | | | | | | | | 68.600 | 17.10 | 0.889 |
| 100831 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
| | 14 | 52 | 5.50 | 23 | 21 | 28 | 16 | 22 | 21 | 20 | 24 | 20 | 22 | 21 | 19 | 19 | 13 | | | | 2.890 | 77.000 | 15.90 | 0.827 |
| | 14 | | | | | | | | | | | | | | | | | | | | | 77.000 | 15.90 | 0.827 |
| 100836 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
| | 12 | 52 | 5.70 | 23 | 24 | 43 | 24 | 23 | 24 | 22 | 23 | 24 | 12 | 18 | 18 | | | | | | 2.780 | 68.400 | 15.85 | 0.824 |
| | 12 | | | | | | | | | | | | | | | | | | | | | 68.400 | 15.85 | 0.824 |
| 100837 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
| | 14 | 52 | 5.90 | 46 | 23 | 30 | 24 | 23 | 22 | 29 | 24 | 22 | 25 | 29 | 22 | 21 | 18 | | | | 3.580 | 82.600 | 21.12 | 1.098 |
| | 14 | | | | | | | | | | | | | | | | | | | | | 82.600 | 21.12 | 1.098 |
| 100841 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
| | 17 | 52 | 4.90 | 32 | 35 | 26 | 28 | 29 | 42 | 29 | 27 | 25 | 24 | 27 | 33 | 32 | 31 | 34 | 31 | 29 | 5.140 | 83.300 | 25.19 | 1.310 |
| | 1 | 52 | 4.90 | 25 | | | | | | | | | | | | | | | | | 0.250 | 4.900 | 1.23 | 0.064 |
| | 18 | | | | | | | | | | | | | | | | | | | | | 88.200 | 26.41 | 1.374 |
| 25513 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
| | 17 | 65 | 4.50 | 17 | 30 | 31 | 50 | 22 | 44 | 49 | 43 | 37 | 38 | 22 | 49 | 41 | 40 | 40 | 18 | 38 | 6.090 | 76.500 | 27.41 | 1.781 |
| | 9 | 65 | 4.50 | 40 | 33 | 26 | 24 | 39 | 50 | 34 | 31 | 57 | | | | | | | | | 3.340 | 40.500 | 15.03 | 0.977 |
| | 26 | | | | | | | | | | | | | | | | | | | | | 117.000 | 42.44 | 2.758 |
| 25514 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
| | 17 | 65 | 5.00 | 20 | 37 | 60 | 39 | 33 | 32 | 34 | 53 | 20 | 26 | 45 | 41 | 34 | 52 | 36 | 29 | 33 | 6.240 | 85.000 | 31.20 | 2.028 |

Lagerliste Niedermann Holz GmbH

Stand: 05.03.2024, Seite: 4

| | | | | | | | | | | | | | | | | |
|----------------|------------|------|----|----|----|----|----|----|----|----|----|----|-------|----------------|---------------|---------------|
| 10 | 65 | 5.00 | 53 | 27 | 34 | 38 | 34 | 56 | 33 | 32 | 38 | 34 | 3.790 | 50.000 | 18.95 | 1.232 |
| 27 | | | | | | | | | | | | | | 135.000 | 50.15 | 3.260 |
| Douglas | | | | | | | | | | | | | | | | |
| Gesamt | 175 | | | | | | | | | | | | | 884.000 | 273.52 | 15.427 |

Lagerliste Niedermann Holz GmbH

Stand: 05.03.2024, Seite: 5

Eichen Klotz rustikal

| 9753 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
|------|----------|--------|-------|----|----|----|----|----|----|----|---|---|----|----|----|----|----|----|----|----|--------------|---------------|--------------|--------------|
| | 7 | 50 | 5.00 | 31 | 38 | 41 | 43 | 45 | 41 | 34 | | | | | | | | | | | 2.730 | 35.000 | 13.65 | 0.683 |
| | 7 | | | | | | | | | | | | | | | | | | | | | 35.000 | 13.65 | 0.683 |

| 9754 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
|------|----------|--------|-------|----|----|----|----|----|----|----|---|---|----|----|----|----|----|----|----|----|--------------|---------------|--------------|--------------|
| | 7 | 50 | 4.90 | 28 | 38 | 43 | 42 | 41 | 39 | 30 | | | | | | | | | | | 2.610 | 34.300 | 12.79 | 0.639 |
| | 7 | | | | | | | | | | | | | | | | | | | | | 34.300 | 12.79 | 0.639 |

| 9755 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
|------|----------|--------|-------|----|----|----|---|---|---|---|---|---|----|----|----|----|----|----|----|----|--------------|---------------|--------------|--------------|
| | 3 | 50 | 4.30 | 48 | 55 | 51 | | | | | | | | | | | | | | | 1.540 | 12.900 | 6.62 | 0.331 |
| | 1 | 50 | 4.00 | 58 | | | | | | | | | | | | | | | | | 0.580 | 4.000 | 2.32 | 0.116 |
| | 2 | 50 | 3.90 | 41 | 51 | | | | | | | | | | | | | | | | 0.920 | 7.800 | 3.59 | 0.179 |
| | 3 | 50 | 3.80 | 25 | 47 | 48 | | | | | | | | | | | | | | | 1.200 | 11.400 | 4.56 | 0.228 |
| | 9 | | | | | | | | | | | | | | | | | | | | | 36.100 | 17.09 | 0.854 |

| 9756 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
|------|----------|--------|-------|----|----|----|----|----|----|----|----|---|----|----|----|----|----|----|----|----|--------------|---------------|--------------|--------------|
| | 8 | 50 | 4.50 | 28 | 43 | 52 | 53 | 53 | 53 | 49 | 47 | | | | | | | | | | 3.780 | 36.000 | 17.01 | 0.851 |
| | 1 | 50 | 3.00 | 37 | | | | | | | | | | | | | | | | | 0.370 | 3.000 | 1.11 | 0.056 |
| | 9 | | | | | | | | | | | | | | | | | | | | | 39.000 | 18.12 | 0.907 |

| 9757 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
|------|----------|--------|-------|----|----|----|----|----|----|----|---|---|----|----|----|----|----|----|----|----|--------------|---------------|--------------|--------------|
| | 7 | 50 | 5.40 | 28 | 40 | 45 | 47 | 48 | 52 | 48 | | | | | | | | | | | 3.080 | 37.800 | 16.63 | 0.832 |
| | 2 | 50 | 5.30 | 42 | 30 | | | | | | | | | | | | | | | | 0.720 | 10.600 | 3.82 | 0.191 |
| | 9 | | | | | | | | | | | | | | | | | | | | | 48.400 | 20.45 | 1.023 |

| 9758 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
|------|----------|--------|-------|----|----|----|----|----|----|----|---|---|----|----|----|----|----|----|----|----|--------------|---------------|--------------|--------------|
| | 7 | 50 | 5.50 | 35 | 45 | 51 | 52 | 53 | 53 | 54 | | | | | | | | | | | 3.430 | 38.500 | 18.87 | 0.943 |
| | 1 | 50 | 5.20 | 51 | | | | | | | | | | | | | | | | | 0.510 | 5.200 | 2.65 | 0.133 |
| | 8 | | | | | | | | | | | | | | | | | | | | | 43.700 | 21.52 | 1.076 |

| 9759 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
|------|----------|--------|-------|----|----|----|----|----|----|----|----|---|----|----|----|----|----|----|----|----|--------------|---------------|--------------|--------------|
| | 8 | 50 | 6.00 | 23 | 35 | 42 | 47 | 48 | 47 | 45 | 38 | | | | | | | | | | 3.250 | 48.000 | 19.50 | 0.975 |
| | 8 | | | | | | | | | | | | | | | | | | | | | 48.000 | 19.50 | 0.975 |

Eichen Klotz rustikal

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------|-----------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----------------|---------------|--------------|
| Gesamt | 57 | | | | | | | | | | | | | | | | | | | | | 284.500 | 123.11 | 6.157 |
|---------------|-----------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----------------|---------------|--------------|

Lagerliste Niedermann Holz GmbH

Stand: 05.03.2024, Seite: 6

Eichen Klotz und lose

| | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
|------|----------|--------|-------|----|----|---|---|---|---|---|---|---|----|----|----|----|----|----|----|----|--------------|---------------|--------------|--------------|
| 146 | 1 | 27 | 3.30 | 30 | | | | | | | | | | | | | | | | | 0.300 | 3.300 | 0.99 | 0.027 |
| | 1 | 27 | 3.00 | 18 | | | | | | | | | | | | | | | | | 0.180 | 3.000 | 0.54 | 0.015 |
| | 2 | | | | | | | | | | | | | | | | | | | | | 6.300 | 1.53 | 0.042 |
| 450 | 1 | 27 | 2.50 | | | | | | | | | | | | | | | | | | 20.120 | 2.500 | 50.30 | 1.358 |
| | 1 | | | | | | | | | | | | | | | | | | | | | 2.500 | 50.30 | 1.358 |
| 454 | 1 | 27 | 2.10 | | | | | | | | | | | | | | | | | | 20.130 | 2.100 | 42.27 | 1.141 |
| | 1 | | | | | | | | | | | | | | | | | | | | | 2.100 | 42.27 | 1.141 |
| 471 | 1 | 27 | 2.70 | | | | | | | | | | | | | | | | | | 20.560 | 2.700 | 55.51 | 1.499 |
| | 1 | | | | | | | | | | | | | | | | | | | | | 2.700 | 55.51 | 1.499 |
| 475 | 1 | 27 | 2.60 | | | | | | | | | | | | | | | | | | 15.480 | 2.600 | 40.25 | 1.087 |
| | 1 | | | | | | | | | | | | | | | | | | | | | 2.600 | 40.25 | 1.087 |
| 8847 | 1 | 27 | 4.20 | | | | | | | | | | | | | | | | | | 0.250 | 4.200 | 1.05 | 0.028 |
| | 1 | | | | | | | | | | | | | | | | | | | | | 4.200 | 1.05 | 0.028 |
| 8859 | 1 | 27 | 5.20 | | | | | | | | | | | | | | | | | | 0.180 | 5.200 | 0.94 | 0.025 |
| | 1 | | | | | | | | | | | | | | | | | | | | | 5.200 | 0.94 | 0.025 |
| 9604 | 2 | 27 | 6.10 | 28 | 27 | | | | | | | | | | | | | | | | 0.550 | 12.200 | 3.36 | 0.091 |
| | 2 | | | | | | | | | | | | | | | | | | | | | 12.200 | 3.36 | 0.091 |
| 9618 | 1 | 27 | 5.80 | 25 | | | | | | | | | | | | | | | | | 0.250 | 5.800 | 1.45 | 0.039 |
| | 1 | | | | | | | | | | | | | | | | | | | | | 5.800 | 1.45 | 0.039 |

Lagerliste Niedermann Holz GmbH

Stand: 05.03.2024, Seite: 7

| | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|-----------|--------|-------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|--------------|---------------|--------------|--------------|
| 40661 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
| | 1 | 30 | 4.10 | | | | | | | | | | | | | | | | | | 5.050 | 4.100 | 20.71 | 0.621 |
| | 1 | | | | | | | | | | | | | | | | | | | | | 4.100 | 20.71 | 0.621 |
| 40663 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
| | 1 | 30 | 4.00 | | | | | | | | | | | | | | | | | | 4.350 | 4.000 | 17.40 | 0.522 |
| | 1 | | | | | | | | | | | | | | | | | | | | | 4.000 | 17.40 | 0.522 |
| 40664 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
| | 1 | 30 | 3.90 | | | | | | | | | | | | | | | | | | 4.450 | 3.900 | 17.36 | 0.521 |
| | 1 | | | | | | | | | | | | | | | | | | | | | 3.900 | 17.36 | 0.521 |
| 40666 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
| | 1 | 30 | 3.90 | | | | | | | | | | | | | | | | | | 4.500 | 3.900 | 17.55 | 0.527 |
| | 1 | | | | | | | | | | | | | | | | | | | | | 3.900 | 17.55 | 0.527 |
| 44201 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
| | 17 | 32 | 3.10 | 17 | 17 | 18 | 18 | 19 | 20 | 22 | 23 | 23 | 23 | 24 | 24 | 25 | 25 | 28 | 28 | 29 | 3.830 | 52.700 | 11.87 | 0.380 |
| | 8 | 32 | 3.10 | 30 | 31 | 33 | 34 | 38 | 43 | 49 | 53 | | | | | | | | | | 3.110 | 24.800 | 9.64 | 0.309 |
| | 25 | | | | | | | | | | | | | | | | | | | | | 77.500 | 21.51 | 0.689 |
| 44202 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
| | 15 | 32 | 3.10 | 17 | 17 | 18 | 19 | 20 | 20 | 21 | 22 | 22 | 22 | 23 | 24 | 27 | 32 | 37 | | | 3.410 | 46.500 | 10.57 | 0.338 |
| | 1 | 32 | 2.50 | 19 | | | | | | | | | | | | | | | | | 0.190 | 2.500 | 0.48 | 0.015 |
| | 1 | 32 | 2.40 | 23 | | | | | | | | | | | | | | | | | 0.230 | 2.400 | 0.55 | 0.018 |
| | 17 | | | | | | | | | | | | | | | | | | | | | 51.400 | 11.60 | 0.371 |
| 44203 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
| | 16 | 32 | 3.10 | 21 | 22 | 22 | 22 | 23 | 25 | 26 | 27 | 27 | 28 | 30 | 38 | 42 | 44 | 45 | 50 | | 4.920 | 49.600 | 15.25 | 0.488 |
| | 16 | | | | | | | | | | | | | | | | | | | | | 49.600 | 15.25 | 0.488 |
| 44204 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
| | 10 | 32 | 3.10 | 16 | 16 | 17 | 17 | 18 | 19 | 23 | 32 | 34 | 35 | | | | | | | | 2.270 | 31.000 | 7.04 | 0.225 |
| | 10 | | | | | | | | | | | | | | | | | | | | | 31.000 | 7.04 | 0.225 |
| 44205 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
| | 11 | 32 | 3.10 | 16 | 16 | 17 | 17 | 18 | 19 | 24 | 28 | 31 | 34 | 34 | | | | | | | 2.540 | 34.100 | 7.87 | 0.252 |
| | 1 | 32 | 2.80 | 14 | | | | | | | | | | | | | | | | | 0.140 | 2.800 | 0.39 | 0.013 |
| | 12 | | | | | | | | | | | | | | | | | | | | | 36.900 | 8.27 | 0.265 |

Lagerliste Niedermann Holz GmbH

Stand: 05.03.2024, Seite: 8

| 8356 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
|------|-------|--------|-------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|--------------|--------|-------|-------|
| | 9 | 33 | 4.10 | 40 | 39 | 43 | 36 | 46 | 40 | 45 | 39 | 39 | | | | | | | | | 3.670 | 36.900 | 15.05 | 0.497 |
| | 17 | 33 | 4.00 | 32 | 42 | 42 | 39 | 41 | 41 | 43 | 41 | 42 | 44 | 36 | 41 | 36 | 44 | 41 | 45 | 49 | 6.990 | 68.000 | 27.96 | 0.923 |
| | 1 | 33 | 4.00 | 42 | | | | | | | | | | | | | | | | | 0.420 | 4.000 | 1.68 | 0.055 |
| | 1 | 33 | 3.90 | 40 | | | | | | | | | | | | | | | | | 0.400 | 3.900 | 1.56 | 0.051 |
| | 5 | 33 | 3.80 | 41 | 45 | 44 | 42 | 43 | | | | | | | | | | | | | 2.150 | 19.000 | 8.17 | 0.270 |

33

131.800 54.42 1.796

| 8357 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
|------|-------|--------|-------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|--------------|--------|-------|-------|
| | 17 | 33 | 4.50 | 45 | 48 | 46 | 38 | 42 | 40 | 36 | 49 | 40 | 26 | 42 | 35 | 46 | 49 | 49 | 48 | 40 | 7.190 | 76.500 | 32.36 | 1.068 |
| | 1 | 33 | 4.50 | 37 | | | | | | | | | | | | | | | | | 0.370 | 4.500 | 1.67 | 0.055 |
| | 8 | 33 | 4.40 | 35 | 39 | 44 | 18 | 36 | 41 | 32 | 43 | | | | | | | | | | 2.880 | 35.200 | 12.67 | 0.418 |
| | 4 | 33 | 4.30 | 27 | 39 | 33 | 41 | | | | | | | | | | | | | | 1.400 | 17.200 | 6.02 | 0.199 |
| | 5 | 33 | 4.10 | 46 | 46 | 42 | 37 | 27 | | | | | | | | | | | | | 1.980 | 20.500 | 8.12 | 0.268 |
| | 1 | 33 | 4.00 | 33 | | | | | | | | | | | | | | | | | 0.330 | 4.000 | 1.32 | 0.044 |
| | 1 | 33 | 3.60 | 23 | | | | | | | | | | | | | | | | | 0.230 | 3.600 | 0.83 | 0.027 |
| | 4 | 33 | 3.50 | 32 | 31 | 26 | 26 | | | | | | | | | | | | | | 1.150 | 14.000 | 4.03 | 0.133 |
| | 2 | 33 | 3.00 | 27 | 30 | | | | | | | | | | | | | | | | 0.570 | 6.000 | 1.71 | 0.056 |
| | 1 | 33 | 2.80 | 27 | | | | | | | | | | | | | | | | | 0.270 | 2.800 | 0.76 | 0.025 |
| | 1 | 33 | 2.70 | 22 | | | | | | | | | | | | | | | | | 0.220 | 2.700 | 0.59 | 0.020 |
| | 1 | 33 | 2.00 | 20 | | | | | | | | | | | | | | | | | 0.200 | 2.000 | 0.40 | 0.013 |

46

189.000 70.46 2.326

| 9377 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
|------|-------|--------|-------|---|---|---|---|---|---|---|---|---|----|----|----|----|----|----|----|----|--------------|--------|-------|-------|
| | 9 | 36 | 4.00 | | | | | | | | | | | | | | | | | | 3.900 | 36.000 | 15.60 | 0.562 |

9

36.000 15.60 0.562

| 9709 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
|------|-------|--------|-------|----|----|----|----|----|----|----|----|---|----|----|----|----|----|----|----|----|--------------|--------|-------|-------|
| | 8 | 40 | 5.20 | 15 | 37 | 44 | 42 | 45 | 42 | 36 | 29 | | | | | | | | | | 2.900 | 41.600 | 15.08 | 0.603 |

8

41.600 15.08 0.603

| 9710 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
|------|-------|--------|-------|----|----|----|----|----|---|---|---|---|----|----|----|----|----|----|----|----|--------------|--------|-------|-------|
| | 2 | 40 | 5.20 | 51 | 44 | | | | | | | | | | | | | | | | 0.950 | 10.400 | 4.94 | 0.198 |
| | 5 | 40 | 5.00 | 35 | 56 | 54 | 50 | 40 | | | | | | | | | | | | | 2.350 | 25.000 | 11.75 | 0.470 |
| | 1 | 40 | 3.00 | 42 | | | | | | | | | | | | | | | | | 0.420 | 3.000 | 1.26 | 0.050 |

8

38.400 17.95 0.718

| 9711 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
|------|-------|--------|-------|----|----|----|----|---|---|---|---|---|----|----|----|----|----|----|----|----|--------------|--------|------|-------|
| | 4 | 40 | 5.20 | 28 | 37 | 32 | 25 | | | | | | | | | | | | | | 1.220 | 20.800 | 6.34 | 0.254 |

Lagerliste Niedermann Holz GmbH

Stand: 05.03.2024, Seite: 9

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|------|--------------|---------------|--------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---------------------|--------------|---------------|--------------|--------------|
| | 4 | 40 | 5.00 | 38 | 40 | 40 | 35 | | | | | | | | | | | | | 1.530 | 20.000 | 7.65 | 0.306 | | |
| | 8 | | | | | | | | | | | | | | | | | | | | 40.800 | 13.99 | 0.560 | | |
| 9713 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 | |
| | 7 | 40 | 5.00 | 31 | 38 | 43 | 42 | 40 | 39 | 31 | | | | | | | | | | | | 2.640 | 35.000 | 13.20 | 0.528 |
| | 7 | | | | | | | | | | | | | | | | | | | | | | 35.000 | 13.20 | 0.528 |
| 9714 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 | |
| | 6 | 40 | 6.20 | 29 | 35 | 32 | 34 | 22 | 26 | | | | | | | | | | | | | 1.780 | 37.200 | 11.04 | 0.441 |
| | 6 | | | | | | | | | | | | | | | | | | | | | | 37.200 | 11.04 | 0.441 |
| 9715 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 | |
| | 6 | 40 | 4.60 | 21 | 28 | 27 | 36 | 35 | 29 | | | | | | | | | | | | | 1.760 | 27.600 | 8.10 | 0.324 |
| | 6 | | | | | | | | | | | | | | | | | | | | | | 27.600 | 8.10 | 0.324 |
| 9717 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 | |
| | 7 | 40 | 4.90 | 28 | 38 | 46 | 43 | 47 | 45 | 33 | | | | | | | | | | | | 2.800 | 34.300 | 13.72 | 0.549 |
| | 1 | 40 | 4.60 | 42 | | | | | | | | | | | | | | | | | | 0.420 | 4.600 | 1.93 | 0.077 |
| | 1 | 40 | 4.00 | 37 | | | | | | | | | | | | | | | | | | 0.370 | 4.000 | 1.48 | 0.059 |
| | 9 | | | | | | | | | | | | | | | | | | | | | | 42.900 | 17.13 | 0.685 |
| 9718 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 | |
| | 5 | 40 | 5.80 | 25 | 34 | 35 | 35 | 28 | | | | | | | | | | | | | | 1.570 | 29.000 | 9.11 | 0.364 |
| | 1 | 40 | 5.50 | 20 | | | | | | | | | | | | | | | | | | 0.200 | 5.500 | 1.10 | 0.044 |
| | 6 | | | | | | | | | | | | | | | | | | | | | | 34.500 | 10.21 | 0.408 |
| 8853 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 | |
| | 1 | 41 | 5.00 | | | | | | | | | | | | | | | | | | | 0.270 | 5.000 | 1.35 | 0.055 |
| | 1 | | | | | | | | | | | | | | | | | | | | | | 5.000 | 1.35 | 0.055 |
| 8859 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 | |
| | 1 | 41 | 5.20 | | | | | | | | | | | | | | | | | | | 0.210 | 5.200 | 1.09 | 0.045 |
| | 1 | | | | | | | | | | | | | | | | | | | | | | 5.200 | 1.09 | 0.045 |
| 9617 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 | |
| | 14 | 41 | 6.10 | 39 | 50 | 61 | 67 | 71 | 75 | 76 | 78 | 76 | 78 | 79 | 73 | 62 | 53 | | | | | 9.380 | 85.400 | 57.22 | 2.346 |
| | 1 | 41 | 5.40 | 47 | | | | | | | | | | | | | | | | | | 0.470 | 5.400 | 2.54 | 0.104 |
| | 15 | | | | | | | | | | | | | | | | | | | | | | 90.800 | 59.76 | 2.450 |

Lagerliste Niedermann Holz GmbH

Stand: 05.03.2024, Seite: 10

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|-----------|--------|-------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|--------------|----------------|---------------|--------------|--------------|
| 9618 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 | |
| | 13 | 41 | 5.80 | 45 | 54 | 60 | 68 | 75 | 74 | 76 | 76 | 75 | 71 | 67 | 60 | 50 | | | | | | 8.510 | 75.400 | 49.36 | 2.024 |
| | 13 | | | | | | | | | | | | | | | | | | | | | 75.400 | 49.36 | 2.024 | |
| 1 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 | |
| | 17 | 50 | 4.00 | 48 | 46 | 42 | 41 | 41 | 40 | 40 | 39 | 38 | 38 | 37 | 37 | 36 | 36 | 35 | 35 | 35 | | 6.640 | 68.000 | 26.56 | 1.328 |
| | 17 | 50 | 4.00 | 35 | 34 | 34 | 34 | 34 | 32 | 32 | 32 | 30 | 29 | 28 | 28 | 27 | 27 | 26 | 22 | | | 4.840 | 68.000 | 19.36 | 0.968 |
| | 34 | | | | | | | | | | | | | | | | | | | | | 136.000 | 45.92 | 2.296 | |
| 2 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 | |
| | 17 | 50 | 3.00 | 44 | 44 | 42 | 42 | 42 | 41 | 40 | 40 | 40 | 38 | 38 | 38 | 37 | 37 | 36 | 35 | 35 | | 6.690 | 51.000 | 20.07 | 1.004 |
| | 17 | 50 | 3.00 | 34 | 34 | 34 | 34 | 34 | 33 | 33 | 32 | 32 | 32 | 31 | 31 | 31 | 30 | 29 | 28 | 26 | | 5.380 | 51.000 | 16.14 | 0.807 |
| | 2 | 50 | 3.00 | 24 | 22 | | | | | | | | | | | | | | | | | 0.460 | 6.000 | 1.38 | 0.069 |
| | 36 | | | | | | | | | | | | | | | | | | | | | 108.000 | 37.59 | 1.880 | |
| 3 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 | |
| | 17 | 50 | 3.00 | 53 | 50 | 50 | 47 | 43 | 43 | 42 | 41 | 41 | 40 | 40 | 39 | 38 | 38 | 38 | 38 | 37 | | 7.180 | 51.000 | 21.54 | 1.077 |
| | 17 | 50 | 3.00 | 37 | 37 | 34 | 34 | 34 | 33 | 33 | 33 | 33 | 31 | 30 | 28 | 27 | 26 | 25 | 25 | 23 | | 5.230 | 51.000 | 15.69 | 0.785 |
| | 34 | | | | | | | | | | | | | | | | | | | | | 102.000 | 37.23 | 1.862 | |
| 30126 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 | |
| | 1 | 50 | 5.20 | | | | | | | | | | | | | | | | | | | 3.150 | 5.200 | 16.38 | 0.819 |
| | 1 | | | | | | | | | | | | | | | | | | | | | | 5.200 | 16.38 | 0.819 |
| 30132 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 | |
| | 1 | 50 | 5.60 | | | | | | | | | | | | | | | | | | | 3.800 | 5.600 | 21.28 | 1.064 |
| | 1 | | | | | | | | | | | | | | | | | | | | | | 5.600 | 21.28 | 1.064 |
| 34750 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 | |
| | 1 | 50 | 4.90 | | | | | | | | | | | | | | | | | | | 3.350 | 4.900 | 16.42 | 0.821 |
| | 1 | | | | | | | | | | | | | | | | | | | | | | 4.900 | 16.42 | 0.821 |
| 41856 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 | |
| | 1 | 50 | 5.30 | | | | | | | | | | | | | | | | | | | 2.900 | 5.300 | 15.37 | 0.769 |
| | 1 | | | | | | | | | | | | | | | | | | | | | | 5.300 | 15.37 | 0.769 |
| 146 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 | |
| | 8 | 52 | 3.30 | 32 | 39 | 44 | 45 | 46 | 48 | 48 | 49 | | | | | | | | | | | 3.510 | 26.400 | 11.58 | 0.602 |
| | 8 | | | | | | | | | | | | | | | | | | | | | | 26.400 | 11.58 | 0.602 |

Lagerliste Niedermann Holz GmbH

Stand: 05.03.2024, Seite: 11

| | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|-----------|--------|-------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|--------------|---------------|--------------|--------------|
| 9604 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
| | 7 | 52 | 6.10 | 48 | 55 | 57 | 54 | 51 | 44 | 35 | | | | | | | | | | | 3.440 | 42.700 | 20.98 | 1.091 |
| | 7 | | | | | | | | | | | | | | | | | | | | | 42.700 | 20.98 | 1.091 |
| 9612 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
| | 10 | 52 | 4.50 | 50 | 56 | 62 | 69 | 71 | 70 | 64 | 62 | 50 | 37 | | | | | | | | 5.910 | 45.000 | 26.60 | 1.383 |
| | 10 | | | | | | | | | | | | | | | | | | | | | 45.000 | 26.60 | 1.383 |
| 9680 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
| | 7 | 52 | 5.20 | 49 | 55 | 29 | 48 | 40 | 45 | 40 | | | | | | | | | | | 3.060 | 36.400 | 15.91 | 0.827 |
| | 3 | 52 | 4.50 | 25 | 25 | 26 | | | | | | | | | | | | | | | 0.760 | 13.500 | 3.42 | 0.178 |
| | 1 | 52 | 3.00 | 37 | | | | | | | | | | | | | | | | | 0.370 | 3.000 | 1.11 | 0.058 |
| | 11 | | | | | | | | | | | | | | | | | | | | | 52.900 | 20.44 | 1.063 |
| 9683 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
| | 8 | 52 | 4.90 | 51 | 25 | 53 | 58 | 58 | 57 | 54 | 49 | | | | | | | | | | 4.050 | 39.200 | 19.85 | 1.032 |
| | 2 | 52 | 3.00 | 49 | 43 | | | | | | | | | | | | | | | | 0.920 | 6.000 | 2.76 | 0.144 |
| | 10 | | | | | | | | | | | | | | | | | | | | | 45.200 | 22.61 | 1.176 |
| 9686 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
| | 14 | 52 | 3.70 | 31 | 26 | 36 | 30 | 48 | 29 | 54 | 29 | 26 | 29 | 29 | 54 | 49 | 40 | | | | 5.100 | 51.800 | 18.87 | 0.981 |
| | 14 | | | | | | | | | | | | | | | | | | | | | 51.800 | 18.87 | 0.981 |
| 9687 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
| | 11 | 52 | 3.90 | 43 | 53 | 26 | 26 | 29 | 58 | 31 | 60 | 54 | 34 | 46 | | | | | | | 4.600 | 42.900 | 17.94 | 0.933 |
| | 1 | 52 | 3.70 | 28 | | | | | | | | | | | | | | | | | 0.280 | 3.700 | 1.04 | 0.054 |
| | 12 | | | | | | | | | | | | | | | | | | | | | 46.600 | 18.98 | 0.987 |
| 17901 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
| | 10 | 52 | 5.50 | 17 | 18 | 19 | 19 | 20 | 20 | 30 | 35 | 36 | 38 | | | | | | | | 2.520 | 55.000 | 13.86 | 0.721 |
| | 10 | | | | | | | | | | | | | | | | | | | | | 55.000 | 13.86 | 0.721 |
| 17902 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
| | 10 | 52 | 5.20 | 23 | 23 | 23 | 23 | 24 | 24 | 30 | 41 | 42 | 47 | | | | | | | | 3.000 | 52.000 | 15.60 | 0.811 |
| | 10 | | | | | | | | | | | | | | | | | | | | | 52.000 | 15.60 | 0.811 |
| 9689 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
| | 4 | 60 | 5.00 | 23 | 40 | 39 | 30 | | | | | | | | | | | | | | 1.320 | 20.000 | 6.60 | 0.396 |
| | 1 | 60 | 4.00 | 41 | | | | | | | | | | | | | | | | | 0.410 | 4.000 | 1.64 | 0.098 |

Lagerliste Niedermann Holz GmbH

Stand: 05.03.2024, Seite: 13

| 709 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
|-----|----------|--------|-------|----|----|----|----|---|---|---|---|---|----|----|----|----|----|----|----|----|--------------|---------------|-------------|--------------|
| | 4 | 80 | 4.00 | 52 | 52 | 55 | 56 | | | | | | | | | | | | | | 2.150 | 16.000 | 8.60 | 0.688 |
| | 4 | | | | | | | | | | | | | | | | | | | | | 16.000 | 8.60 | 0.688 |

| 8436 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
|------|----------|--------|-------|----|----|----|---|---|---|---|---|---|----|----|----|----|----|----|----|----|--------------|---------------|--------------|--------------|
| | 1 | 80 | 4.20 | 46 | | | | | | | | | | | | | | | | | 0.460 | 4.200 | 1.93 | 0.155 |
| | 1 | 80 | 4.10 | 51 | | | | | | | | | | | | | | | | | 0.510 | 4.100 | 2.09 | 0.167 |
| | 1 | 80 | 3.90 | 32 | | | | | | | | | | | | | | | | | 0.320 | 3.900 | 1.25 | 0.100 |
| | 1 | 80 | 3.80 | 47 | | | | | | | | | | | | | | | | | 0.470 | 3.800 | 1.79 | 0.143 |
| | 3 | 80 | 3.60 | 37 | 50 | 35 | | | | | | | | | | | | | | | 1.220 | 10.800 | 4.39 | 0.351 |
| | 1 | 80 | 3.10 | 46 | | | | | | | | | | | | | | | | | 0.460 | 3.100 | 1.43 | 0.114 |
| | 8 | | | | | | | | | | | | | | | | | | | | | 29.900 | 12.88 | 1.030 |

| Eichen Klotz und lose | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------|------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|------------------|-----------------|---------------|
| Gesamt | 544 | | | | | | | | | | | | | | | | | | | | | 2'237.700 | 1'177.74 | 49.986 |

Lagerliste Niedermann Holz GmbH

Stand: 05.03.2024, Seite: 14

Eichen Klotz und lose FSC

| 9727 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
|-------|----------|--------|-------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|--------------|---------------|--------------|--------------|
| | 1 | 30 | 3.50 | | | | | | | | | | | | | | | | | | 5.650 | 3.500 | 19.78 | 0.593 |
| | 1 | | | | | | | | | | | | | | | | | | | | | 3.500 | 19.78 | 0.593 |
| 40662 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
| | 1 | 30 | 4.00 | | | | | | | | | | | | | | | | | | 4.050 | 4.000 | 16.20 | 0.486 |
| | 1 | | | | | | | | | | | | | | | | | | | | | 4.000 | 16.20 | 0.486 |
| 8059 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
| | 9 | 36 | 4.60 | 37 | 43 | 40 | 43 | 41 | 43 | 41 | 38 | 31 | | | | | | | | | 3.570 | 41.400 | 16.42 | 0.591 |
| | 9 | | | | | | | | | | | | | | | | | | | | | 41.400 | 16.42 | 0.591 |
| 8060 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
| | 9 | 36 | 4.30 | 29 | 32 | 34 | 35 | 35 | 34 | 33 | 29 | 20 | | | | | | | | | 2.810 | 38.700 | 12.08 | 0.435 |
| | 9 | | | | | | | | | | | | | | | | | | | | | 38.700 | 12.08 | 0.435 |
| 9201 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
| | 6 | 36 | 5.00 | 42 | 43 | 44 | 44 | 42 | 32 | | | | | | | | | | | | 2.470 | 30.000 | 12.35 | 0.445 |
| | 2 | 36 | 4.80 | 31 | 37 | | | | | | | | | | | | | | | | 0.680 | 9.600 | 3.26 | 0.118 |
| | 8 | | | | | | | | | | | | | | | | | | | | | 39.600 | 15.61 | 0.563 |
| 9202 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
| | 8 | 36 | 5.00 | 29 | 35 | 39 | 42 | 42 | 39 | 42 | 37 | | | | | | | | | | 3.050 | 40.000 | 15.25 | 0.549 |
| | 8 | | | | | | | | | | | | | | | | | | | | | 40.000 | 15.25 | 0.549 |
| 9207 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
| | 9 | 36 | 5.00 | 30 | 37 | 41 | 45 | 43 | 44 | 43 | 40 | 35 | | | | | | | | | 3.580 | 45.000 | 17.90 | 0.644 |
| | 9 | | | | | | | | | | | | | | | | | | | | | 45.000 | 17.90 | 0.644 |
| 9728 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
| | 1 | 36 | 5.40 | | | | | | | | | | | | | | | | | | 3.850 | 5.400 | 20.79 | 0.748 |
| | 1 | | | | | | | | | | | | | | | | | | | | | 5.400 | 20.79 | 0.748 |
| 9729 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
| | 1 | 36 | 5.30 | | | | | | | | | | | | | | | | | | 3.550 | 5.300 | 18.82 | 0.677 |
| | 1 | | | | | | | | | | | | | | | | | | | | | 5.300 | 18.82 | 0.677 |

Lagerliste Niedermann Holz GmbH

Stand: 05.03.2024, Seite: 15

| 9730 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
|------|----------|--------|-------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|--------------|---------------|--------------|--------------|
| | 1 | 36 | 5.60 | | | | | | | | | | | | | | | | | | 4.500 | 5.600 | 25.20 | 0.907 |
| | 1 | | | | | | | | | | | | | | | | | | | | | 5.600 | 25.20 | 0.907 |
| 9731 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
| | 1 | 36 | 5.80 | | | | | | | | | | | | | | | | | | 3.900 | 5.800 | 22.62 | 0.814 |
| | 1 | | | | | | | | | | | | | | | | | | | | | 5.800 | 22.62 | 0.814 |
| 9732 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
| | 1 | 36 | 4.70 | | | | | | | | | | | | | | | | | | 4.500 | 4.700 | 21.15 | 0.761 |
| | 1 | | | | | | | | | | | | | | | | | | | | | 4.700 | 21.15 | 0.761 |
| 9734 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
| | 1 | 36 | 4.70 | | | | | | | | | | | | | | | | | | 6.050 | 4.700 | 28.44 | 1.024 |
| | 1 | | | | | | | | | | | | | | | | | | | | | 4.700 | 28.44 | 1.024 |
| 8122 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
| | 7 | 40 | 5.00 | 25 | 32 | 36 | 35 | 38 | 38 | 34 | | | | | | | | | | | 2.380 | 35.000 | 11.90 | 0.476 |
| | 7 | | | | | | | | | | | | | | | | | | | | | 35.000 | 11.90 | 0.476 |
| 8125 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
| | 6 | 40 | 5.00 | 26 | 35 | 41 | 44 | 43 | 40 | | | | | | | | | | | | 2.290 | 30.000 | 11.45 | 0.458 |
| | 1 | 40 | 4.80 | 45 | | | | | | | | | | | | | | | | | 0.450 | 4.800 | 2.16 | 0.086 |
| | 7 | | | | | | | | | | | | | | | | | | | | | 34.800 | 13.61 | 0.544 |
| 8127 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
| | 5 | 40 | 5.00 | 34 | 41 | 41 | 40 | 39 | | | | | | | | | | | | | 1.950 | 25.000 | 9.75 | 0.390 |
| | 2 | 40 | 4.70 | 46 | 44 | | | | | | | | | | | | | | | | 0.900 | 9.400 | 4.23 | 0.169 |
| | 1 | 40 | 4.50 | 34 | | | | | | | | | | | | | | | | | 0.340 | 4.500 | 1.53 | 0.061 |
| | 8 | | | | | | | | | | | | | | | | | | | | | 38.900 | 15.51 | 0.620 |
| 8128 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
| | 9 | 40 | 4.50 | 21 | 30 | 35 | 40 | 42 | 40 | 42 | 41 | 37 | | | | | | | | | 3.280 | 40.500 | 14.76 | 0.590 |
| | 9 | | | | | | | | | | | | | | | | | | | | | 40.500 | 14.76 | 0.590 |
| 8129 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
| | 7 | 40 | 5.00 | 31 | 37 | 36 | 42 | 45 | 46 | 42 | | | | | | | | | | | 2.790 | 35.000 | 13.95 | 0.558 |
| | 2 | 40 | 4.50 | 45 | 38 | | | | | | | | | | | | | | | | 0.830 | 9.000 | 3.74 | 0.149 |
| | 9 | | | | | | | | | | | | | | | | | | | | | 44.000 | 17.69 | 0.707 |

Lagerliste Niedermann Holz GmbH

Stand: 05.03.2024, Seite: 16

| 9659 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
|------|----------|--------|-------|----|----|----|----|----|----|---|---|---|----|----|----|----|----|----|----|----|---------------|--------------|--------------|-------|
| | 3 | 50 | 4.30 | 31 | 42 | 47 | | | | | | | | | | | | | | | 1.200 | 12.900 | 5.16 | 0.258 |
| | 2 | 50 | 4.20 | 51 | 44 | | | | | | | | | | | | | | | | 0.950 | 8.400 | 3.99 | 0.200 |
| | 1 | 50 | 4.10 | 54 | | | | | | | | | | | | | | | | | 0.540 | 4.100 | 2.21 | 0.111 |
| | 2 | 50 | 4.00 | 51 | 48 | | | | | | | | | | | | | | | | 0.990 | 8.000 | 3.96 | 0.198 |
| | 1 | 50 | 3.80 | 54 | | | | | | | | | | | | | | | | | 0.540 | 3.800 | 2.05 | 0.103 |
| | 9 | | | | | | | | | | | | | | | | | | | | 37.200 | 17.38 | 0.870 | |
| 9663 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
| | 2 | 50 | 4.50 | 24 | 32 | | | | | | | | | | | | | | | | 0.560 | 9.000 | 2.52 | 0.126 |
| | 6 | 50 | 4.30 | 39 | 44 | 45 | 45 | 41 | 24 | | | | | | | | | | | | 2.380 | 25.800 | 10.23 | 0.512 |
| | 8 | | | | | | | | | | | | | | | | | | | | 34.800 | 12.75 | 0.638 | |
| 9735 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
| | 1 | 50 | 5.50 | | | | | | | | | | | | | | | | | | 2.950 | 5.500 | 16.23 | 0.811 |
| | 1 | | | | | | | | | | | | | | | | | | | | 5.500 | 16.23 | 0.811 | |
| 9736 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
| | 1 | 50 | 4.90 | | | | | | | | | | | | | | | | | | 3.800 | 4.900 | 18.62 | 0.931 |
| | 1 | | | | | | | | | | | | | | | | | | | | 4.900 | 18.62 | 0.931 | |
| 9737 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
| | 1 | 50 | 5.30 | | | | | | | | | | | | | | | | | | 2.650 | 5.300 | 14.05 | 0.702 |
| | 1 | | | | | | | | | | | | | | | | | | | | 5.300 | 14.05 | 0.702 | |
| 9738 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
| | 1 | 50 | 5.70 | | | | | | | | | | | | | | | | | | 3.800 | 5.700 | 21.66 | 1.083 |
| | 1 | | | | | | | | | | | | | | | | | | | | 5.700 | 21.66 | 1.083 | |
| 9739 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
| | 1 | 50 | 5.20 | | | | | | | | | | | | | | | | | | 3.300 | 5.200 | 17.16 | 0.858 |
| | 1 | | | | | | | | | | | | | | | | | | | | 5.200 | 17.16 | 0.858 | |
| 9740 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
| | 1 | 50 | 5.90 | | | | | | | | | | | | | | | | | | 3.650 | 5.900 | 21.54 | 1.077 |
| | 1 | | | | | | | | | | | | | | | | | | | | 5.900 | 21.54 | 1.077 | |
| 8041 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
| | 4 | 60 | 4.70 | 51 | 54 | 56 | 52 | | | | | | | | | | | | | | 2.130 | 18.800 | 10.01 | 0.601 |
| | 1 | 60 | 4.60 | 57 | | | | | | | | | | | | | | | | | 0.570 | 4.600 | 2.62 | 0.157 |

Lagerliste Niedermann Holz GmbH

Stand: 05.03.2024, Seite: 17

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|------|--------------|---------------|--------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---------------------|---------------|--------------|--------------|-------|
| | 3 | 60 | 4.50 | 34 | 51 | 41 | | | | | | | | | | | | | | 1.260 | 13.500 | 5.67 | 0.340 | | |
| | 8 | | | | | | | | | | | | | | | | | | | | 36.900 | 18.30 | 1.098 | | |
| 8042 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 | |
| | 8 | 60 | 5.00 | 31 | 46 | 46 | 49 | 54 | 56 | 50 | 40 | | | | | | | | | | | 3.720 | 40.000 | 18.60 | 1.116 |
| | 8 | | | | | | | | | | | | | | | | | | | | | 40.000 | 18.60 | 1.116 | |
| 8043 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 | |
| | 3 | 60 | 4.40 | 34 | 39 | 44 | | | | | | | | | | | | | | | | 1.170 | 13.200 | 5.15 | 0.309 |
| | 3 | 60 | 4.20 | 49 | 46 | 38 | | | | | | | | | | | | | | | | 1.330 | 12.600 | 5.59 | 0.335 |
| | 6 | | | | | | | | | | | | | | | | | | | | | 25.800 | 10.73 | 0.644 | |
| 8044 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 | |
| | 5 | 60 | 5.30 | 29 | 41 | 43 | 47 | 40 | | | | | | | | | | | | | | 2.000 | 26.500 | 10.60 | 0.636 |
| | 1 | 60 | 5.10 | 48 | | | | | | | | | | | | | | | | | | 0.480 | 5.100 | 2.45 | 0.147 |
| | 6 | | | | | | | | | | | | | | | | | | | | | 31.600 | 13.05 | 0.783 | |
| 8047 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 | |
| | 4 | 60 | 4.70 | 32 | 43 | 50 | 43 | | | | | | | | | | | | | | | 1.680 | 18.800 | 7.90 | 0.474 |
| | 3 | 60 | 4.60 | 47 | 47 | 48 | | | | | | | | | | | | | | | | 1.420 | 13.800 | 6.53 | 0.392 |
| | 7 | | | | | | | | | | | | | | | | | | | | | 32.600 | 14.43 | 0.866 | |
| 8048 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 | |
| | 7 | 60 | 4.90 | 29 | 41 | 44 | 47 | 49 | 46 | 38 | | | | | | | | | | | | 2.940 | 34.300 | 14.41 | 0.864 |
| | 7 | | | | | | | | | | | | | | | | | | | | | 34.300 | 14.41 | 0.864 | |
| 8049 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 | |
| | 5 | 60 | 4.60 | 41 | 51 | 56 | 56 | 46 | | | | | | | | | | | | | | 2.500 | 23.000 | 11.50 | 0.690 |
| | 2 | 60 | 4.50 | 55 | 53 | | | | | | | | | | | | | | | | | 1.080 | 9.000 | 4.86 | 0.292 |
| | 7 | | | | | | | | | | | | | | | | | | | | | 32.000 | 16.36 | 0.982 | |
| 8050 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 | |
| | 7 | 60 | 4.60 | 34 | 46 | 51 | 52 | 53 | 48 | 42 | | | | | | | | | | | | 3.260 | 32.200 | 15.00 | 0.900 |
| | 7 | | | | | | | | | | | | | | | | | | | | | 32.200 | 15.00 | 0.900 | |
| 9741 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 | |
| | 1 | 60 | 4.90 | | | | | | | | | | | | | | | | | | | 4.400 | 4.900 | 21.56 | 1.294 |
| | 1 | | | | | | | | | | | | | | | | | | | | | 4.900 | 21.56 | 1.294 | |

Lagerliste Niedermann Holz GmbH

Stand: 05.03.2024, Seite: 18

| 9742 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
|---------------------------|------------|--------|-------|----|----|----|----|----|----|---|---|---|----|----|----|----|----|----|----|----|--------------|----------------|---------------|---------------|
| | 1 | 60 | 5.30 | | | | | | | | | | | | | | | | | | 3.700 | 5.300 | 19.61 | 1.177 |
| | 1 | | | | | | | | | | | | | | | | | | | | | 5.300 | 19.61 | 1.177 |
| 9744 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
| | 1 | 60 | 5.40 | | | | | | | | | | | | | | | | | | 5.450 | 5.400 | 29.43 | 1.766 |
| | 1 | | | | | | | | | | | | | | | | | | | | | 5.400 | 29.43 | 1.766 |
| 9668 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
| | 6 | 65 | 4.60 | 29 | 40 | 48 | 53 | 51 | 43 | | | | | | | | | | | | 2.640 | 27.600 | 12.14 | 0.789 |
| | 6 | | | | | | | | | | | | | | | | | | | | | 27.600 | 12.14 | 0.789 |
| 9669 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
| | 4 | 65 | 4.90 | 45 | 53 | 57 | 49 | | | | | | | | | | | | | | 2.040 | 19.600 | 10.00 | 0.650 |
| | 2 | 65 | 4.70 | 38 | 56 | | | | | | | | | | | | | | | | 0.940 | 9.400 | 4.42 | 0.287 |
| | 6 | | | | | | | | | | | | | | | | | | | | | 29.000 | 14.41 | 0.937 |
| 9670 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
| | 6 | 65 | 5.20 | 32 | 47 | 50 | 53 | 54 | 50 | | | | | | | | | | | | 2.860 | 31.200 | 14.87 | 0.967 |
| | 6 | | | | | | | | | | | | | | | | | | | | | 31.200 | 14.87 | 0.967 |
| Eichen Klotz und lose FSC | | | | | | | | | | | | | | | | | | | | | | | | |
| Gesamt | 191 | | | | | | | | | | | | | | | | | | | | | 910.200 | 696.00 | 32.882 |

Lagerliste Niedermann Holz GmbH

Stand: 05.03.2024, Seite: 19

Fichte Klotz und lose

| | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 | |
|-------|----------|--------|-------|---|---|---|---|---|---|---|---|---|----|----|----|----|----|----|----|----|--------------|--------|--------------|---------------|--------------|
| 284 | 1 | 24 | 4.00 | | | | | | | | | | | | | | | | | | | 20.700 | 4.000 | 82.80 | 1.987 |
| | 1 | | | | | | | | | | | | | | | | | | | | | | 4.000 | 82.80 | 1.987 |
| 2453 | 1 | 24 | 5.00 | | | | | | | | | | | | | | | | | | | 21.050 | 5.000 | 105.25 | 2.526 |
| | 1 | | | | | | | | | | | | | | | | | | | | | | 5.000 | 105.25 | 2.526 |
| 2454 | 1 | 24 | 5.00 | | | | | | | | | | | | | | | | | | | 15.000 | 5.000 | 75.00 | 1.800 |
| | 1 | 24 | 4.00 | | | | | | | | | | | | | | | | | | | 2.150 | 4.000 | 8.60 | 0.206 |
| | 2 | | | | | | | | | | | | | | | | | | | | | | 9.000 | 83.60 | 2.006 |
| 1973 | 1 | 30 | 5.00 | | | | | | | | | | | | | | | | | | | 15.400 | 5.000 | 77.00 | 2.310 |
| | 1 | | | | | | | | | | | | | | | | | | | | | | 5.000 | 77.00 | 2.310 |
| 2013 | 1 | 30 | 5.00 | | | | | | | | | | | | | | | | | | | 15.500 | 5.000 | 77.50 | 2.325 |
| | 1 | | | | | | | | | | | | | | | | | | | | | | 5.000 | 77.50 | 2.325 |
| 2216 | 1 | 30 | 5.00 | | | | | | | | | | | | | | | | | | | 13.950 | 5.000 | 69.75 | 2.093 |
| | 1 | 30 | 4.00 | | | | | | | | | | | | | | | | | | | 0.750 | 4.000 | 3.00 | 0.090 |
| | 2 | | | | | | | | | | | | | | | | | | | | | | 9.000 | 72.75 | 2.183 |
| 85059 | 1 | 30 | 5.00 | | | | | | | | | | | | | | | | | | | 19.820 | 5.000 | 99.10 | 2.973 |
| | 1 | | | | | | | | | | | | | | | | | | | | | | 5.000 | 99.10 | 2.973 |
| 236 | 1 | 36 | 5.00 | | | | | | | | | | | | | | | | | | | 10.230 | 5.000 | 51.15 | 1.841 |
| | 1 | | | | | | | | | | | | | | | | | | | | | | 5.000 | 51.15 | 1.841 |
| 2622 | 1 | 36 | 5.00 | | | | | | | | | | | | | | | | | | | 14.000 | 5.000 | 70.00 | 2.520 |
| | 1 | | | | | | | | | | | | | | | | | | | | | | 5.000 | 70.00 | 2.520 |

Lagerliste Niedermann Holz GmbH

Stand: 05.03.2024, Seite: 20

| | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
|------|-----------|--------|-------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|--------------|----------------|--------------|--------------|
| 2623 | 1 | 36 | 5.00 | | | | | | | | | | | | | | | | | | 5.000 | 5.000 | 25.00 | 0.900 |
| | 1 | 36 | 4.00 | | | | | | | | | | | | | | | | | | 9.650 | 4.000 | 38.60 | 1.390 |
| | 2 | | | | | | | | | | | | | | | | | | | | | 9.000 | 63.60 | 2.290 |
| 2624 | 1 | 36 | 5.00 | | | | | | | | | | | | | | | | | | 13.050 | 5.000 | 65.25 | 2.349 |
| | 1 | | | | | | | | | | | | | | | | | | | | | 5.000 | 65.25 | 2.349 |
| 2070 | 1 | 40 | 5.00 | | | | | | | | | | | | | | | | | | 12.200 | 5.000 | 61.00 | 2.440 |
| | 1 | | | | | | | | | | | | | | | | | | | | | 5.000 | 61.00 | 2.440 |
| 2422 | 1 | 40 | 5.00 | | | | | | | | | | | | | | | | | | 13.200 | 5.000 | 66.00 | 2.640 |
| | 1 | | | | | | | | | | | | | | | | | | | | | 5.000 | 66.00 | 2.640 |
| 2423 | 1 | 40 | 5.00 | | | | | | | | | | | | | | | | | | 12.450 | 5.000 | 62.25 | 2.490 |
| | 1 | | | | | | | | | | | | | | | | | | | | | 5.000 | 62.25 | 2.490 |
| 893 | 1 | 50 | 5.00 | | | | | | | | | | | | | | | | | | 12.350 | 5.000 | 61.75 | 3.088 |
| | 1 | | | | | | | | | | | | | | | | | | | | | 5.000 | 61.75 | 3.088 |
| 1540 | 1 | 50 | 5.00 | | | | | | | | | | | | | | | | | | 11.550 | 5.000 | 57.75 | 2.888 |
| | 1 | | | | | | | | | | | | | | | | | | | | | 5.000 | 57.75 | 2.888 |
| 1543 | 1 | 50 | 5.00 | | | | | | | | | | | | | | | | | | 11.550 | 5.000 | 57.75 | 2.888 |
| | 1 | | | | | | | | | | | | | | | | | | | | | 5.000 | 57.75 | 2.888 |
| 9449 | 17 | 50 | 5.00 | 37 | 18 | 28 | 23 | 37 | 28 | 39 | 21 | 21 | 20 | 36 | 42 | 21 | 13 | 28 | 32 | 39 | 4.830 | 85.000 | 24.15 | 1.208 |
| | 17 | 50 | 5.00 | 39 | 44 | 40 | 33 | 23 | 46 | 35 | 22 | 25 | 20 | 25 | 41 | 34 | 46 | 37 | 16 | 33 | 5.590 | 85.000 | 27.95 | 1.398 |
| | 13 | 50 | 5.00 | 40 | 43 | 24 | 22 | 22 | 22 | 30 | 22 | 43 | 43 | 37 | 58 | 21 | | | | | 4.270 | 65.000 | 21.35 | 1.068 |
| | 47 | | | | | | | | | | | | | | | | | | | | | 235.000 | 73.45 | 3.674 |

Lagerliste Niedermann Holz GmbH

Stand: 05.03.2024, Seite: 21

| 15596 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
|-------|-----------|--------|-------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----------------|--------------|--------------|-------|
| | 17 | 50 | 5.00 | 17 | 17 | 18 | 19 | 20 | 20 | 20 | 22 | 22 | 22 | 22 | 23 | 23 | 23 | 23 | 23 | 24 | 3.580 | 85.000 | 17.90 | 0.895 |
| | 17 | 50 | 5.00 | 24 | 24 | 24 | 24 | 24 | 24 | 25 | 25 | 26 | 26 | 26 | 27 | 27 | 28 | 28 | 28 | 28 | 4.380 | 85.000 | 21.90 | 1.095 |
| | 9 | 50 | 5.00 | 29 | 29 | 30 | 31 | 32 | 32 | 33 | 32 | 34 | | | | | | | | | 2.820 | 45.000 | 14.10 | 0.705 |
| | 1 | 50 | 4.50 | 20 | | | | | | | | | | | | | | | | | 0.200 | 4.500 | 0.90 | 0.045 |
| | 2 | 50 | 4.00 | 23 | 27 | | | | | | | | | | | | | | | | 0.500 | 8.000 | 2.00 | 0.100 |
| | 2 | 50 | 3.50 | 22 | 34 | | | | | | | | | | | | | | | | 0.560 | 7.000 | 1.96 | 0.098 |
| | 48 | | | | | | | | | | | | | | | | | | | | 234.500 | 58.76 | 2.938 | |
| 895 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
| | 1 | 60 | 5.00 | | | | | | | | | | | | | | | | | | 11.550 | 5.000 | 57.75 | 3.465 |
| | 1 | | | | | | | | | | | | | | | | | | | | 5.000 | 57.75 | 3.465 | |
| 896 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
| | 1 | 60 | 5.00 | | | | | | | | | | | | | | | | | | 10.850 | 5.000 | 54.25 | 3.255 |
| | 1 | | | | | | | | | | | | | | | | | | | | 5.000 | 54.25 | 3.255 | |
| 9447 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
| | 17 | 65 | 5.00 | 41 | 42 | 34 | 25 | 23 | 43 | 39 | 40 | 16 | 18 | 32 | 18 | 38 | 46 | 46 | 24 | 26 | 5.510 | 85.000 | 27.55 | 1.791 |
| | 17 | 65 | 5.00 | 25 | 25 | 31 | 46 | 39 | 48 | 23 | 21 | 32 | 29 | 47 | 20 | 26 | 20 | 24 | 27 | 45 | 5.280 | 85.000 | 26.40 | 1.716 |
| | 1 | 65 | 5.00 | 21 | | | | | | | | | | | | | | | | | 0.210 | 5.000 | 1.05 | 0.068 |
| | 35 | | | | | | | | | | | | | | | | | | | | 175.000 | 55.00 | 3.575 | |
| 9448 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
| | 17 | 65 | 5.00 | 33 | 43 | 24 | 44 | 23 | 18 | 25 | 43 | 20 | 17 | 42 | 44 | 39 | 23 | 18 | 18 | 25 | 4.990 | 85.000 | 24.95 | 1.622 |
| | 10 | 65 | 5.00 | 43 | 36 | 23 | 23 | 29 | 24 | 23 | 47 | 41 | 40 | | | | | | | | 3.290 | 50.000 | 16.45 | 1.069 |
| | 27 | | | | | | | | | | | | | | | | | | | | 135.000 | 41.40 | 2.691 | |
| 2222 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
| | 1 | 75 | 5.00 | | | | | | | | | | | | | | | | | | 9.800 | 5.000 | 49.00 | 3.675 |
| | 1 | | | | | | | | | | | | | | | | | | | | 5.000 | 49.00 | 3.675 | |
| 10342 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
| | 13 | 75 | 5.00 | 24 | 17 | 22 | 22 | 21 | 31 | 34 | 34 | 44 | 33 | 23 | 22 | 22 | | | | | 3.490 | 65.000 | 17.45 | 1.309 |
| | 1 | 75 | 4.50 | 24 | | | | | | | | | | | | | | | | | 0.240 | 4.500 | 1.08 | 0.081 |
| | 3 | 75 | 4.00 | 28 | 24 | 21 | | | | | | | | | | | | | | | 0.730 | 12.000 | 2.92 | 0.219 |
| | 17 | | | | | | | | | | | | | | | | | | | | 81.500 | 21.45 | 1.609 | |

Lagerliste Niedermann Holz GmbH

Stand: 05.03.2024, Seite: 22

| 7725 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 | |
|------------------------------|------------|--------|-------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|--------------|------------------|-----------------|---------------|-------|
| | 3 | 80 | 5.20 | 17 | 22 | 26 | | | | | | | | | | | | | | | 0.650 | 15.600 | 3.38 | 0.270 | |
| | 13 | 80 | 5.10 | 20 | 23 | 19 | 16 | 19 | 22 | 16 | 22 | 19 | 20 | 20 | 20 | 21 | | | | | | 2.570 | 66.300 | 13.11 | 1.049 |
| | 1 | 80 | 4.50 | 21 | | | | | | | | | | | | | | | | | 0.210 | 4.500 | 0.95 | 0.076 | |
| | 2 | 80 | 4.00 | 24 | 21 | | | | | | | | | | | | | | | | 0.450 | 8.000 | 1.80 | 0.144 | |
| | 19 | | | | | | | | | | | | | | | | | | | | | 94.400 | 19.23 | 1.539 | |
| 1365 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 | |
| | 1 | 85 | 5.00 | | | | | | | | | | | | | | | | | | 9.000 | 5.000 | 45.00 | 3.825 | |
| | 1 | | | | | | | | | | | | | | | | | | | | | 5.000 | 45.00 | 3.825 | |
| Fichte Klotz und lose | | | | | | | | | | | | | | | | | | | | | | | | | |
| Gesamt | 217 | | | | | | | | | | | | | | | | | | | | | 1'071.400 | 1'689.79 | 71.990 | |

Lagerliste Niedermann Holz GmbH

Stand: 05.03.2024, Seite: 23

Fichte Mondholz Klotz und lose

| 9696 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
|------|----------|--------|-------|---|---|---|---|---|---|---|---|---|----|----|----|----|----|----|----|----|--------------|--------------|---------------|--------------|
| | 1 | 24 | 5.00 | | | | | | | | | | | | | | | | | | 23.850 | 5.000 | 119.25 | 2.862 |
| | 1 | | | | | | | | | | | | | | | | | | | | | 5.000 | 119.25 | 2.862 |
| 9698 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
| | 1 | 30 | 5.00 | | | | | | | | | | | | | | | | | | 17.650 | 5.000 | 88.25 | 2.648 |
| | 1 | | | | | | | | | | | | | | | | | | | | | 5.000 | 88.25 | 2.648 |
| 9699 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
| | 1 | 30 | 5.00 | | | | | | | | | | | | | | | | | | 8.050 | 5.000 | 40.25 | 1.208 |
| | 1 | | | | | | | | | | | | | | | | | | | | | 5.000 | 40.25 | 1.208 |
| 9704 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
| | 1 | 36 | 5.00 | | | | | | | | | | | | | | | | | | 8.750 | 5.000 | 43.75 | 1.575 |
| | 1 | | | | | | | | | | | | | | | | | | | | | 5.000 | 43.75 | 1.575 |
| 9006 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
| | 1 | 50 | 5.00 | | | | | | | | | | | | | | | | | | 10.400 | 5.000 | 52.00 | 2.600 |
| | 1 | | | | | | | | | | | | | | | | | | | | | 5.000 | 52.00 | 2.600 |
| 9705 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
| | 1 | 50 | 5.00 | | | | | | | | | | | | | | | | | | 12.100 | 5.000 | 60.50 | 3.025 |
| | 1 | | | | | | | | | | | | | | | | | | | | | 5.000 | 60.50 | 3.025 |
| 9877 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
| | 1 | 50 | 5.00 | | | | | | | | | | | | | | | | | | 12.500 | 5.000 | 62.50 | 3.125 |
| | 1 | | | | | | | | | | | | | | | | | | | | | 5.000 | 62.50 | 3.125 |
| 9707 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
| | 1 | 60 | 5.00 | | | | | | | | | | | | | | | | | | 5.250 | 5.000 | 26.25 | 1.575 |
| | 1 | | | | | | | | | | | | | | | | | | | | | 5.000 | 26.25 | 1.575 |
| 9708 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
| | 1 | 60 | 5.00 | | | | | | | | | | | | | | | | | | 9.900 | 5.000 | 49.50 | 2.970 |
| | 1 | | | | | | | | | | | | | | | | | | | | | 5.000 | 49.50 | 2.970 |

Lagerliste Niedermann Holz GmbH

Stand: 05.03.2024, Seite: 24

Fichte Mondholz Klotz und lose

Gesamt 9

45.000 542.25 21.588

Lagerliste Niedermann Holz GmbH

Stand: 05.03.2024, Seite: 25

Föhre Parallelbretter

| 576 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 | |
|-----|-------|--------|-------|---|---|---|---|---|---|---|---|---|----|----|----|----|----|----|----|----|--------------|--------|---------|-------|-------|
| | 125 | 38 | 4.00 | | | | | | | | | | | | | | | | | | | 23.800 | 500.000 | 95.20 | 3.618 |
| | 125 | | | | | | | | | | | | | | | | | | | | | | 500.000 | 95.20 | 3.618 |

Föhre Parallelbretter

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------|-----|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---------|-------|-------|
| Gesamt | 125 | | | | | | | | | | | | | | | | | | | | | | 500.000 | 95.20 | 3.618 |
|--------|-----|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---------|-------|-------|

Lagerliste Niedermann Holz GmbH

Stand: 05.03.2024, Seite: 26

Föhre Seitenbretter

| 6242 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 | |
|-------|-----------|--------|-------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|--------------|--------|----------------|--------------|--------------|
| | 1 | 30 | 4.00 | | | | | | | | | | | | | | | | | | | 19.460 | 4.000 | 77.84 | 2.335 |
| | 1 | 30 | 3.50 | | | | | | | | | | | | | | | | | | | 0.870 | 3.500 | 3.05 | 0.091 |
| | 1 | 30 | 3.00 | | | | | | | | | | | | | | | | | | | 0.730 | 3.000 | 2.19 | 0.066 |
| | 3 | | | | | | | | | | | | | | | | | | | | | | 10.500 | 83.08 | 2.492 |
| 6243 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 | |
| | 1 | 30 | 4.00 | | | | | | | | | | | | | | | | | | | 19.620 | 4.000 | 78.48 | 2.354 |
| | 1 | 30 | 3.50 | | | | | | | | | | | | | | | | | | | 0.800 | 3.500 | 2.80 | 0.084 |
| | 1 | 30 | 3.00 | | | | | | | | | | | | | | | | | | | 2.040 | 3.000 | 6.12 | 0.184 |
| | 3 | | | | | | | | | | | | | | | | | | | | | | 10.500 | 87.40 | 2.622 |
| 6244 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 | |
| | 1 | 30 | 4.00 | | | | | | | | | | | | | | | | | | | 21.110 | 4.000 | 84.44 | 2.533 |
| | 1 | 30 | 3.50 | | | | | | | | | | | | | | | | | | | 0.980 | 3.500 | 3.43 | 0.103 |
| | 1 | 30 | 3.00 | | | | | | | | | | | | | | | | | | | 1.130 | 3.000 | 3.39 | 0.102 |
| | 3 | | | | | | | | | | | | | | | | | | | | | | 10.500 | 91.26 | 2.738 |
| 6245 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 | |
| | 1 | 30 | 4.00 | | | | | | | | | | | | | | | | | | | 17.980 | 4.000 | 71.92 | 2.158 |
| | 1 | 30 | 3.50 | | | | | | | | | | | | | | | | | | | 1.240 | 3.500 | 4.34 | 0.130 |
| | 1 | 30 | 3.00 | | | | | | | | | | | | | | | | | | | 2.550 | 3.000 | 7.65 | 0.230 |
| | 3 | | | | | | | | | | | | | | | | | | | | | | 10.500 | 83.91 | 2.518 |
| 10770 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 | |
| | 17 | 36 | 5.00 | 24 | 28 | 11 | 22 | 12 | 19 | 16 | 24 | 30 | 41 | 19 | 18 | 32 | 37 | 30 | 35 | 36 | 4.340 | 85.000 | 21.70 | 0.781 | |
| | 17 | 36 | 5.00 | 23 | 22 | 15 | 17 | 15 | 10 | 17 | 24 | 27 | 25 | 10 | 31 | 38 | 13 | 35 | 15 | 22 | 3.590 | 85.000 | 17.95 | 0.646 | |
| | 17 | 36 | 5.00 | 29 | 35 | 31 | 13 | 14 | 39 | 32 | 41 | 16 | 41 | 42 | 23 | 35 | 21 | 31 | 37 | 43 | 5.230 | 85.000 | 26.15 | 0.941 | |
| | 51 | | | | | | | | | | | | | | | | | | | | | | 255.000 | 65.80 | 2.368 |
| 10772 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 | |
| | 17 | 36 | 5.00 | 14 | 16 | 26 | 16 | 10 | 17 | 32 | 26 | 11 | 10 | 12 | 10 | 14 | 25 | 10 | 33 | 16 | 2.980 | 85.000 | 14.90 | 0.536 | |
| | 17 | 36 | 5.00 | 14 | 29 | 16 | 28 | 17 | 25 | 16 | 14 | 22 | 12 | 13 | 13 | 13 | 16 | 13 | 17 | 34 | 3.120 | 85.000 | 15.60 | 0.562 | |
| | 17 | 36 | 5.00 | 28 | 34 | 37 | 27 | 16 | 13 | 12 | 10 | 17 | 17 | 14 | 13 | 10 | 31 | 10 | 12 | 13 | 3.140 | 85.000 | 15.70 | 0.565 | |
| | 13 | 36 | 5.00 | 16 | 33 | 17 | 28 | 19 | 35 | 18 | 17 | 14 | 26 | 21 | 11 | 16 | | | | | 2.710 | 65.000 | 13.55 | 0.488 | |
| | 1 | 36 | 3.00 | 19 | | | | | | | | | | | | | | | | | 0.190 | 3.000 | 0.57 | 0.021 | |

Lagerliste Niedermann Holz GmbH

Stand: 05.03.2024, Seite: 27

65

323.000 60.32 2.172

| 8266 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
|------|-------|--------|-------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|--------------|--------|-------|-------|
| | 17 | 40 | 5.00 | 17 | 17 | 17 | 31 | 18 | 36 | 10 | 10 | 10 | 29 | 26 | 28 | 16 | 27 | 13 | 16 | 22 | 3.430 | 85.000 | 17.15 | 0.686 |
| | 17 | 40 | 5.00 | 11 | 9 | 16 | 18 | 11 | 11 | 26 | 18 | 27 | 28 | 27 | 11 | 10 | 16 | 10 | 27 | 13 | 2.890 | 85.000 | 14.45 | 0.578 |
| | 17 | 40 | 5.00 | 9 | 19 | 16 | 9 | 13 | 18 | 21 | 14 | 14 | 21 | 8 | 13 | 29 | 20 | 10 | 10 | 30 | 2.740 | 85.000 | 13.70 | 0.548 |
| | 14 | 40 | 5.00 | 20 | 13 | 10 | 29 | 24 | 13 | 13 | 32 | 17 | 21 | 27 | 25 | 23 | 20 | | | | 2.870 | 70.000 | 14.35 | 0.574 |

65

325.000 59.65 2.386

| 8267 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
|------|-------|--------|-------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|--------------|--------|-------|-------|
| | 17 | 40 | 5.00 | 18 | 10 | 17 | 7 | 10 | 18 | 26 | 28 | 18 | 12 | 9 | 12 | 27 | 9 | 11 | 18 | 17 | 2.670 | 85.000 | 13.35 | 0.534 |
| | 17 | 40 | 5.00 | 12 | 14 | 25 | 21 | 16 | 28 | 15 | 21 | 14 | 14 | 12 | 12 | 15 | 12 | 15 | 7 | 8 | 2.610 | 85.000 | 13.05 | 0.522 |
| | 17 | 40 | 5.00 | 21 | 28 | 25 | 14 | 18 | 13 | 9 | 13 | 14 | 19 | 13 | 9 | 19 | 27 | 13 | 13 | 21 | 2.890 | 85.000 | 14.45 | 0.578 |
| | 17 | 40 | 5.00 | 15 | 21 | 14 | 17 | 16 | 19 | 23 | 12 | 30 | 11 | 19 | 17 | 15 | 15 | 10 | 19 | 10 | 2.830 | 85.000 | 14.15 | 0.566 |

68

340.000 55.00 2.200

| 9866 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
|------|-------|--------|-------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|--------------|--------|-------|-------|
| | 17 | 40 | 5.00 | 20 | 14 | 22 | 19 | 18 | 18 | 20 | 15 | 19 | 23 | 21 | 13 | 13 | 19 | 28 | 11 | 13 | 3.060 | 85.000 | 15.30 | 0.612 |
| | 17 | 40 | 5.00 | 30 | 26 | 11 | 9 | 17 | 19 | 19 | 18 | 16 | 19 | 30 | 19 | 18 | 25 | 10 | 11 | 13 | 3.100 | 85.000 | 15.50 | 0.620 |
| | 17 | 40 | 5.00 | 17 | 19 | 14 | 27 | 14 | 10 | 17 | 10 | 12 | 15 | 19 | 20 | 27 | 20 | 21 | 18 | 14 | 2.940 | 85.000 | 14.70 | 0.588 |
| | 13 | 40 | 5.00 | 28 | 21 | 22 | 19 | 16 | 18 | 8 | 12 | 19 | 14 | 17 | 24 | 31 | | | | | 2.490 | 65.000 | 12.45 | 0.498 |

64

320.000 57.95 2.318

| 9868 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
|------|-------|--------|-------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|--------------|--------|-------|-------|
| | 17 | 40 | 5.00 | 17 | 28 | 21 | 13 | 15 | 13 | 21 | 31 | 15 | 29 | 20 | 18 | 16 | 16 | 22 | 15 | 14 | 3.240 | 85.000 | 16.20 | 0.648 |
| | 17 | 40 | 5.00 | 9 | 14 | 20 | 18 | 16 | 9 | 9 | 21 | 21 | 18 | 30 | 12 | 16 | 15 | 21 | 18 | 29 | 2.960 | 85.000 | 14.80 | 0.592 |
| | 17 | 40 | 5.00 | 27 | 18 | 18 | 17 | 16 | 16 | 18 | 19 | 16 | 11 | 13 | 16 | 18 | 16 | 30 | 33 | 19 | 3.210 | 85.000 | 16.05 | 0.642 |
| | 13 | 40 | 5.00 | 14 | 11 | 12 | 13 | 20 | 12 | 27 | 31 | 13 | 18 | 31 | 15 | 15 | | | | | 2.320 | 65.000 | 11.60 | 0.464 |

64

320.000 58.65 2.346

Föhre Seitenbretter

Gesamt 389 1'925.000 703.02 24.160

Lagerliste Niedermann Holz GmbH

Stand: 05.03.2024, Seite: 28

Lärche europ. Klotz und lose

| 8571 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
|------|-------|--------|-------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|--------------|--------|-------|-------|
| | 17 | 30 | 5.00 | 25 | 27 | 23 | 38 | 29 | 38 | 35 | 37 | 37 | 25 | 30 | 37 | 37 | 36 | 33 | 26 | 39 | 5.520 | 85.000 | 27.60 | 0.828 |
| | 17 | 30 | 5.00 | 30 | 37 | 24 | 34 | 39 | 41 | 27 | 34 | 34 | 34 | 26 | 29 | 28 | 30 | 36 | 39 | 41 | 5.630 | 85.000 | 28.15 | 0.845 |
| | 17 | 30 | 5.00 | 40 | 37 | 40 | 33 | 27 | 29 | 38 | 34 | 23 | 35 | 33 | 33 | 34 | 29 | 33 | 29 | 35 | 5.620 | 85.000 | 28.10 | 0.843 |
| | 17 | 30 | 5.00 | 36 | 34 | 30 | 32 | 32 | 30 | 23 | 30 | 21 | 27 | 36 | 32 | 33 | 35 | 39 | 28 | 35 | 5.330 | 85.000 | 26.65 | 0.800 |

68

340.000 110.50 3.316

| 8585 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
|------|-------|--------|-------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|--------------|--------|-------|-------|
| | 17 | 30 | 5.00 | 43 | 43 | 34 | 37 | 34 | 35 | 11 | 28 | 25 | 31 | 39 | 35 | 38 | 40 | 33 | 38 | 36 | 5.800 | 85.000 | 29.00 | 0.870 |
| | 17 | 30 | 5.00 | 30 | 31 | 20 | 42 | 36 | 43 | 45 | 46 | 48 | 43 | 46 | 33 | 38 | 15 | 17 | 38 | 39 | 6.100 | 85.000 | 30.50 | 0.915 |
| | 4 | 30 | 5.00 | 41 | 48 | 47 | 47 | | | | | | | | | | | | | | 1.830 | 20.000 | 9.15 | 0.275 |

38

190.000 68.65 2.060

| 9452 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
|------|-------|--------|-------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|--------------|--------|-------|-------|
| | 17 | 30 | 5.00 | 40 | 41 | 39 | 39 | 32 | 34 | 26 | 30 | 22 | 35 | 38 | 39 | 36 | 35 | 30 | 23 | 27 | 5.660 | 85.000 | 28.30 | 0.849 |
| | 17 | 30 | 5.00 | 29 | 23 | 35 | 31 | 33 | 29 | 33 | 29 | 20 | 35 | 31 | 40 | 44 | 45 | 44 | 43 | 45 | 5.890 | 85.000 | 29.45 | 0.884 |
| | 6 | 30 | 5.00 | 33 | 40 | 29 | 27 | 44 | 41 | | | | | | | | | | | | 2.140 | 30.000 | 10.70 | 0.321 |

40

200.000 68.45 2.054

| 9455 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
|------|-------|--------|-------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|--------------|--------|-------|-------|
| | 17 | 30 | 5.00 | 30 | 33 | 30 | 34 | 25 | 25 | 35 | 37 | 39 | 35 | 28 | 32 | 29 | 31 | 33 | 42 | 41 | 5.590 | 85.000 | 27.95 | 0.839 |
| | 17 | 30 | 5.00 | 42 | 40 | 43 | 28 | 35 | 42 | 40 | 39 | 37 | 27 | 28 | 27 | 45 | 26 | 36 | 40 | 41 | 6.160 | 85.000 | 30.80 | 0.924 |
| | 6 | 30 | 5.00 | 27 | 41 | 40 | 26 | 34 | 41 | | | | | | | | | | | | 2.090 | 30.000 | 10.45 | 0.314 |

40

200.000 69.20 2.077

| 11183 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
|-------|-------|--------|-------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|--------------|--------|-------|-------|
| | 17 | 30 | 5.00 | 27 | 34 | 27 | 34 | 26 | 35 | 33 | 30 | 25 | 30 | 23 | 34 | 31 | 34 | 29 | 30 | 32 | 5.140 | 85.000 | 25.70 | 0.771 |
| | 17 | 30 | 5.00 | 29 | 33 | 29 | 30 | 27 | 29 | 34 | 27 | 32 | 35 | 24 | 33 | 31 | 38 | 40 | 37 | 24 | 5.320 | 85.000 | 26.60 | 0.798 |
| | 17 | 30 | 5.00 | 30 | 30 | 35 | 37 | 33 | 42 | 38 | 31 | 35 | 27 | 37 | 26 | 29 | 27 | 36 | 27 | 36 | 5.560 | 85.000 | 27.80 | 0.834 |
| | 17 | 30 | 5.00 | 40 | 30 | 25 | 27 | 33 | 32 | 29 | 32 | 34 | 23 | 30 | 39 | 37 | 35 | 30 | 33 | 32 | 5.410 | 85.000 | 27.05 | 0.812 |
| | 10 | 30 | 5.00 | 39 | 26 | 33 | 27 | 33 | 33 | 31 | 33 | 33 | 36 | | | | | | | | 3.240 | 50.000 | 16.20 | 0.486 |

78

390.000 123.35 3.701

| 08523 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
|-------|-------|--------|-------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|--------------|--------|-------|-------|
| | 17 | 32 | 5.00 | 23 | 27 | 29 | 30 | 16 | 31 | 24 | 33 | 36 | 33 | 36 | 31 | 23 | 34 | 33 | 28 | 22 | 4.890 | 85.000 | 24.45 | 0.782 |
| | 17 | 32 | 5.00 | 29 | 28 | 21 | 31 | 29 | 19 | 31 | 35 | 24 | 32 | 17 | 30 | 28 | 25 | 21 | 29 | 26 | 4.550 | 85.000 | 22.75 | 0.728 |
| | 11 | 32 | 5.00 | 29 | 29 | 29 | 29 | 26 | 23 | 26 | 22 | 22 | 28 | 20 | | | | | | | 2.830 | 55.000 | 14.15 | 0.453 |

Lagerliste Niedermann Holz GmbH

Stand: 05.03.2024, Seite: 29

| | | | | | | | | | | | | | | | | | | | | | | | |
|---|----|------|----|----|----|----|----|----|----|--|--|--|--|--|--|--|--|--|--|-------|--------|------|-------|
| 3 | 32 | 4.50 | 30 | 28 | 22 | | | | | | | | | | | | | | | 0.800 | 13.500 | 3.60 | 0.115 |
| 7 | 32 | 4.00 | 23 | 23 | 24 | 30 | 19 | 20 | 27 | | | | | | | | | | | 1.660 | 28.000 | 6.64 | 0.212 |

55 **266.500** **71.59** **2.290**

| 08524 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
|-------|-------|--------|-------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|--------------|--------|-------|-------|
| | 13 | 32 | 5.00 | 30 | 31 | 28 | 18 | 16 | 29 | 21 | 20 | 23 | 20 | 25 | 23 | 27 | | | | | 3.110 | 65.000 | 15.55 | 0.498 |
| | 9 | 32 | 4.50 | 34 | 20 | 24 | 35 | 31 | 31 | 20 | 26 | 36 | | | | | | | | | 2.570 | 40.500 | 11.57 | 0.370 |
| | 1 | 32 | 4.00 | 26 | | | | | | | | | | | | | | | | | 0.260 | 4.000 | 1.04 | 0.033 |

23 **109.500** **28.16** **0.901**

| 90908 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
|-------|-------|--------|-------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|--------------|--------|-------|-------|
| | 17 | 32 | 4.00 | 25 | 25 | 25 | 26 | 26 | 26 | 26 | 26 | 26 | 27 | 27 | 27 | 27 | 27 | 27 | 27 | 28 | 4.480 | 68.000 | 17.92 | 0.573 |
| | 17 | 32 | 4.00 | 28 | 29 | 29 | 29 | 29 | 29 | 29 | 29 | 30 | 30 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 5.080 | 68.000 | 20.32 | 0.650 |
| | 17 | 32 | 4.00 | 31 | 32 | 32 | 32 | 32 | 32 | 32 | 32 | 32 | 32 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 5.500 | 68.000 | 22.00 | 0.704 |
| | 17 | 32 | 4.00 | 33 | 33 | 33 | 33 | 33 | 34 | 34 | 34 | 34 | 34 | 34 | 34 | 34 | 34 | 34 | 34 | 34 | 5.730 | 68.000 | 22.92 | 0.733 |
| | 10 | 32 | 4.00 | 34 | 35 | 35 | 35 | 35 | 35 | 37 | 38 | 38 | 39 | | | | | | | | 3.610 | 40.000 | 14.44 | 0.462 |
| | 2 | 32 | 3.00 | 28 | 33 | | | | | | | | | | | | | | | | 0.610 | 6.000 | 1.83 | 0.059 |

80 **318.000** **99.43** **3.181**

| 90910 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
|-------|-------|--------|-------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|--------------|--------|-------|-------|
| | 17 | 32 | 4.00 | 25 | 26 | 26 | 27 | 27 | 27 | 27 | 27 | 27 | 28 | 28 | 28 | 28 | 28 | 29 | 30 | 30 | 4.680 | 68.000 | 18.72 | 0.599 |
| | 17 | 32 | 4.00 | 30 | 30 | 30 | 31 | 31 | 31 | 31 | 31 | 31 | 32 | 32 | 32 | 32 | 32 | 32 | 32 | 32 | 5.320 | 68.000 | 21.28 | 0.681 |
| | 17 | 32 | 4.00 | 32 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 34 | 34 | 34 | 34 | 34 | 34 | 34 | 5.670 | 68.000 | 22.68 | 0.726 |
| | 17 | 32 | 4.00 | 34 | 35 | 35 | 35 | 35 | 35 | 35 | 35 | 35 | 35 | 35 | 35 | 36 | 36 | 36 | 36 | 36 | 5.990 | 68.000 | 23.96 | 0.767 |
| | 11 | 32 | 4.00 | 36 | 36 | 36 | 36 | 37 | 37 | 37 | 38 | 38 | 39 | 40 | | | | | | | 4.100 | 44.000 | 16.40 | 0.525 |

79 **316.000** **103.04** **3.298**

| 258386 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
|--------|-------|--------|-------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|--------------|--------|-------|-------|
| | 9 | 32 | 5.00 | 34 | 26 | 21 | 39 | 37 | 24 | 22 | 34 | 33 | | | | | | | | | 2.700 | 45.000 | 13.50 | 0.432 |
| | 1 | 32 | 4.90 | 20 | | | | | | | | | | | | | | | | | 0.200 | 4.900 | 0.98 | 0.031 |
| | 3 | 32 | 4.60 | 30 | 40 | 42 | | | | | | | | | | | | | | | 1.120 | 13.800 | 5.15 | 0.165 |
| | 3 | 32 | 4.50 | 20 | 17 | 26 | | | | | | | | | | | | | | | 0.630 | 13.500 | 2.84 | 0.091 |

16 **77.200** **22.47** **0.719**

| 7 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
|---|-------|--------|-------|----|----|----|----|----|----|----|----|---|----|----|----|----|----|----|----|----|--------------|--------|-------|-------|
| | 8 | 40 | 5.10 | 38 | 46 | 43 | 45 | 46 | 49 | 45 | 39 | | | | | | | | | | 3.510 | 40.800 | 17.90 | 0.716 |

8 **40.800** **17.90** **0.716**

Lagerliste Niedermann Holz GmbH

Stand: 05.03.2024, Seite: 30

| 8 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
|-------|-----------|--------|-------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|--------------|----------------|---------------|--------------|
| | 8 | 40 | 5.10 | 24 | 39 | 40 | 40 | 47 | 44 | 38 | 39 | | | | | | | | | | 3.110 | 40.800 | 15.86 | 0.634 |
| | 8 | | | | | | | | | | | | | | | | | | | | | 40.800 | 15.86 | 0.634 |
| 1425 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
| | 17 | 40 | 6.00 | 19 | 27 | 28 | 28 | 29 | 29 | 30 | 30 | 33 | 33 | 34 | 34 | 34 | 34 | 34 | 35 | 35 | 5.260 | 102.000 | 31.56 | 1.262 |
| | 17 | 40 | 6.00 | 35 | 36 | 36 | 36 | 37 | 37 | 37 | 37 | 37 | 38 | 38 | 38 | 38 | 38 | 39 | 39 | 39 | 6.350 | 102.000 | 38.10 | 1.524 |
| | 1 | 40 | 6.00 | 40 | | | | | | | | | | | | | | | | | 0.400 | 6.000 | 2.40 | 0.096 |
| | 1 | 40 | 5.50 | 38 | | | | | | | | | | | | | | | | | 0.380 | 5.500 | 2.09 | 0.084 |
| | 2 | 40 | 5.00 | 30 | 31 | | | | | | | | | | | | | | | | 0.610 | 10.000 | 3.05 | 0.122 |
| | 38 | | | | | | | | | | | | | | | | | | | | | 225.500 | 77.20 | 3.088 |
| 95527 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
| | 17 | 40 | 5.00 | 20 | 22 | 22 | 24 | 25 | 25 | 26 | 26 | 27 | 27 | 28 | 28 | 28 | 28 | 29 | 30 | 31 | 4.460 | 85.000 | 22.30 | 0.892 |
| | 17 | 40 | 5.00 | 31 | 31 | 31 | 32 | 32 | 32 | 32 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 34 | 34 | 5.530 | 85.000 | 27.65 | 1.106 |
| | 17 | 40 | 5.00 | 34 | 34 | 34 | 34 | 35 | 35 | 35 | 35 | 35 | 36 | 36 | 36 | 36 | 36 | 36 | 37 | 37 | 6.010 | 85.000 | 30.05 | 1.202 |
| | 7 | 40 | 5.00 | 37 | 37 | 37 | 38 | 38 | 40 | 42 | | | | | | | | | | | 2.690 | 35.000 | 13.45 | 0.538 |
| | 58 | | | | | | | | | | | | | | | | | | | | | 290.000 | 93.45 | 3.738 |
| 7358 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
| | 17 | 50 | 6.00 | 35 | 38 | 35 | 29 | 38 | 40 | 37 | 40 | 29 | 34 | 37 | 36 | 34 | 25 | 26 | 39 | 33 | 5.850 | 102.000 | 35.10 | 1.755 |
| | 17 | 50 | 6.00 | 43 | 43 | 32 | 46 | 45 | 39 | 41 | 44 | 31 | 43 | 38 | 43 | 39 | 45 | 44 | 34 | 47 | 6.970 | 102.000 | 41.82 | 2.091 |
| | 11 | 50 | 6.00 | 46 | 47 | 28 | 36 | 44 | 43 | 40 | 47 | 46 | 35 | 42 | | | | | | | 4.540 | 66.000 | 27.24 | 1.362 |
| | 45 | | | | | | | | | | | | | | | | | | | | | 270.000 | 104.16 | 5.208 |
| 9374 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
| | 17 | 50 | 5.00 | 40 | 26 | 35 | 34 | 22 | 38 | 37 | 18 | 27 | 35 | 20 | 38 | 17 | 12 | 18 | 31 | 27 | 4.750 | 85.000 | 23.75 | 1.188 |
| | 17 | 50 | 5.00 | 19 | 38 | 22 | 25 | 43 | 41 | 21 | 36 | 30 | 22 | 40 | 15 | 19 | 16 | 40 | 26 | 21 | 4.740 | 85.000 | 23.70 | 1.185 |
| | 9 | 50 | 5.00 | 39 | 21 | 19 | 22 | 38 | 27 | 45 | 38 | 44 | | | | | | | | | 2.930 | 45.000 | 14.65 | 0.733 |
| | 43 | | | | | | | | | | | | | | | | | | | | | 215.000 | 62.10 | 3.106 |
| 9692 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
| | 17 | 50 | 6.00 | 32 | 38 | 38 | 30 | 36 | 42 | 44 | 41 | 36 | 39 | 36 | 42 | 42 | 40 | 34 | 39 | 32 | 6.410 | 102.000 | 38.46 | 1.923 |
| | 11 | 50 | 6.00 | 39 | 39 | 36 | 29 | 38 | 44 | 45 | 44 | 40 | 32 | 29 | | | | | | | 4.150 | 66.000 | 24.90 | 1.245 |
| | 1 | 50 | 5.50 | 39 | | | | | | | | | | | | | | | | | 0.390 | 5.500 | 2.15 | 0.107 |
| | 1 | 50 | 5.00 | 40 | | | | | | | | | | | | | | | | | 0.400 | 5.000 | 2.00 | 0.100 |
| | 30 | | | | | | | | | | | | | | | | | | | | | 178.500 | 67.51 | 3.375 |

Lagerliste Niedermann Holz GmbH

Stand: 05.03.2024, Seite: 31

| 9963 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
|--------|-----------|--------|-------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|--------------|----------------|--------------|--------------|
| | 17 | 50 | 5.00 | 20 | 46 | 24 | 22 | 17 | 35 | 37 | 19 | 17 | 30 | 30 | 30 | 32 | 21 | 41 | 35 | 20 | 4.760 | 85.000 | 23.80 | 1.190 |
| | 17 | 50 | 5.00 | 23 | 18 | 38 | 19 | 19 | 23 | 32 | 42 | 44 | 29 | 44 | 22 | 22 | 34 | 27 | 34 | 24 | 4.940 | 85.000 | 24.70 | 1.235 |
| | 4 | 50 | 5.00 | 29 | 19 | 37 | 38 | | | | | | | | | | | | | | 1.230 | 20.000 | 6.15 | 0.308 |
| | 38 | | | | | | | | | | | | | | | | | | | | | 190.000 | 54.65 | 2.733 |
| 9965 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
| | 17 | 50 | 5.00 | 17 | 22 | 23 | 52 | 20 | 28 | 24 | 38 | 34 | 27 | 23 | 42 | 17 | 21 | 27 | 20 | 18 | 4.530 | 85.000 | 22.65 | 1.133 |
| | 17 | 50 | 5.00 | 20 | 40 | 22 | 16 | 16 | 25 | 42 | 21 | 20 | 24 | 20 | 24 | 20 | 28 | 37 | 30 | 30 | 4.350 | 85.000 | 21.75 | 1.088 |
| | 5 | 50 | 5.00 | 42 | 23 | 21 | 23 | 25 | | | | | | | | | | | | | 1.340 | 25.000 | 6.70 | 0.335 |
| | 39 | | | | | | | | | | | | | | | | | | | | | 195.000 | 51.10 | 2.556 |
| 100421 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
| | 17 | 50 | 5.00 | 26 | 28 | 29 | 33 | 34 | 35 | 36 | 36 | 36 | 39 | 39 | 40 | 40 | 41 | 41 | 42 | 42 | 6.170 | 85.000 | 30.85 | 1.543 |
| | 12 | 50 | 5.00 | 42 | 43 | 43 | 43 | 43 | 44 | 44 | 45 | 45 | 45 | 46 | 46 | | | | | | 5.290 | 60.000 | 26.45 | 1.323 |
| | 1 | 50 | 4.00 | 38 | | | | | | | | | | | | | | | | | 0.380 | 4.000 | 1.52 | 0.076 |
| | 30 | | | | | | | | | | | | | | | | | | | | | 149.000 | 58.82 | 2.942 |
| 9307 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
| | 15 | 52 | 5.10 | 41 | 38 | 41 | 38 | 44 | 37 | 38 | 39 | 33 | 35 | 40 | 39 | 28 | 35 | 37 | | | 5.630 | 76.500 | 28.71 | 1.493 |
| | 3 | 52 | 5.00 | 35 | 40 | 40 | | | | | | | | | | | | | | | 1.150 | 15.000 | 5.75 | 0.299 |
| | 18 | | | | | | | | | | | | | | | | | | | | | 91.500 | 34.46 | 1.792 |
| 7357 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
| | 17 | 60 | 6.00 | 35 | 37 | 45 | 44 | 37 | 44 | 31 | 38 | 40 | 40 | 35 | 35 | 41 | 32 | 40 | 41 | 45 | 6.600 | 102.000 | 39.60 | 2.376 |
| | 9 | 60 | 6.00 | 35 | 37 | 36 | 42 | 30 | 37 | 39 | 31 | 39 | | | | | | | | | 3.260 | 54.000 | 19.56 | 1.174 |
| | 26 | | | | | | | | | | | | | | | | | | | | | 156.000 | 59.16 | 3.550 |
| 9961 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
| | 17 | 60 | 5.00 | 27 | 23 | 50 | 26 | 51 | 27 | 27 | 26 | 48 | 24 | 14 | 50 | 56 | 29 | 27 | 23 | 46 | 5.740 | 85.000 | 28.70 | 1.722 |
| | 11 | 60 | 5.00 | 52 | 49 | 27 | 29 | 56 | 31 | 61 | 62 | 27 | 51 | 22 | | | | | | | 4.670 | 55.000 | 23.35 | 1.401 |
| | 28 | | | | | | | | | | | | | | | | | | | | | 140.000 | 52.05 | 3.123 |
| 11177 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
| | 17 | 60 | 5.00 | 42 | 44 | 35 | 34 | 39 | 40 | 20 | 15 | 31 | 41 | 45 | 35 | 43 | 38 | 43 | 42 | 43 | 6.300 | 85.000 | 31.50 | 1.890 |
| | 17 | 60 | 5.00 | 40 | 41 | 35 | 47 | 30 | 42 | 35 | 45 | 35 | 35 | 44 | 38 | 43 | 37 | 33 | 39 | 43 | 6.620 | 85.000 | 33.10 | 1.986 |
| | 2 | 60 | 5.00 | 43 | 38 | | | | | | | | | | | | | | | | 0.810 | 10.000 | 4.05 | 0.243 |
| | 36 | | | | | | | | | | | | | | | | | | | | | 180.000 | 68.65 | 4.119 |

Lagerliste Niedermann Holz GmbH

Stand: 05.03.2024, Seite: 32

| 11178 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
|-------|-----------|--------|-------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----------------|--------------|--------------|-------|
| | 17 | 60 | 5.00 | 47 | 38 | 47 | 40 | 39 | 44 | 47 | 37 | 44 | 40 | 35 | 35 | 46 | 30 | 44 | 34 | 46 | 6.930 | 85.000 | 34.65 | 2.079 |
| | 17 | 60 | 5.00 | 27 | 42 | 43 | 45 | 46 | 43 | 33 | 39 | 32 | 30 | 45 | 46 | 42 | 40 | 32 | 36 | 36 | 6.570 | 85.000 | 32.85 | 1.971 |
| | 34 | | | | | | | | | | | | | | | | | | | | 170.000 | 67.50 | 4.050 | |
| 15696 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
| | 17 | 60 | 4.00 | 27 | 28 | 29 | 30 | 30 | 31 | 32 | 32 | 34 | 37 | 37 | 37 | 37 | 37 | 38 | 39 | 40 | 5.750 | 68.000 | 23.00 | 1.380 |
| | 11 | 60 | 4.00 | 40 | 44 | 44 | 45 | 45 | 45 | 45 | 48 | 51 | 55 | 55 | | | | | | | 5.170 | 44.000 | 20.68 | 1.241 |
| | 28 | | | | | | | | | | | | | | | | | | | | 112.000 | 43.68 | 2.621 | |
| 15699 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
| | 17 | 60 | 4.00 | 34 | 34 | 34 | 35 | 35 | 35 | 36 | 36 | 36 | 37 | 37 | 37 | 37 | 38 | 38 | 38 | 38 | 6.150 | 68.000 | 24.60 | 1.476 |
| | 11 | 60 | 4.00 | 38 | 39 | 40 | 41 | 41 | 42 | 42 | 45 | 48 | 49 | 54 | | | | | | | 4.790 | 44.000 | 19.16 | 1.150 |
| | 28 | | | | | | | | | | | | | | | | | | | | 112.000 | 43.76 | 2.626 | |

Lärche europ. Klotz und lose

Gesamt 1052 5'163.300 1'736.84 73.574

Lagerliste Niedermann Holz GmbH

Stand: 05.03.2024, Seite: 33

Lärche europ. lose unbesäumt KD

| 7355 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
|------|-----------|--------|-------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|--------------|----------------|--------------|--------------|
| | 17 | 24 | 4.00 | 26 | 33 | 34 | 42 | 34 | 45 | 46 | 49 | 20 | 23 | 20 | 22 | 22 | 41 | 19 | 37 | 42 | 5.550 | 68.000 | 22.20 | 0.533 |
| | 17 | 24 | 4.00 | 38 | 28 | 37 | 42 | 40 | 20 | 34 | 18 | 38 | 40 | 44 | 46 | 47 | 48 | 20 | 33 | 20 | 5.930 | 68.000 | 23.72 | 0.569 |
| | 17 | 24 | 4.00 | 40 | 44 | 45 | 45 | 26 | 28 | 28 | 20 | 31 | 20 | 26 | 42 | 17 | 35 | 25 | 44 | 20 | 5.360 | 68.000 | 21.44 | 0.515 |
| | 8 | 24 | 4.00 | 25 | 20 | 20 | 28 | 15 | 29 | 20 | 17 | | | | | | | | | | 1.740 | 32.000 | 6.96 | 0.167 |
| | 1 | 24 | 3.50 | 26 | | | | | | | | | | | | | | | | | 0.260 | 3.500 | 0.91 | 0.022 |
| | 3 | 24 | 3.00 | 20 | 23 | 16 | | | | | | | | | | | | | | | 0.590 | 9.000 | 1.77 | 0.042 |
| | 63 | | | | | | | | | | | | | | | | | | | | | 248.500 | 77.00 | 1.848 |

Lärche europ. lose unbesäumt KD

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------|-----------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----------------|--------------|--------------|
| Gesamt | 63 | | | | | | | | | | | | | | | | | | | | | 248.500 | 77.00 | 1.848 |
|---------------|-----------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----------------|--------------|--------------|

Lagerliste Niedermann Holz GmbH

Stand: 05.03.2024, Seite: 34

Linde

| 8262 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
|------|----------|--------|-------|----|----|----|----|----|----|---|---|---|----|----|----|----|----|----|----|----|--------------|---------------|--------------|--------------|
| | 2 | 60 | 3.70 | 52 | 28 | | | | | | | | | | | | | | | | 0.800 | 7.400 | 2.96 | 0.178 |
| | 6 | 60 | 3.50 | 50 | 65 | 65 | 65 | 63 | 60 | | | | | | | | | | | | 3.680 | 21.000 | 12.88 | 0.773 |
| | 8 | | | | | | | | | | | | | | | | | | | | | 28.400 | 15.84 | 0.951 |

Linde

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------|----------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---------------|--------------|--------------|
| Gesamt | 8 | | | | | | | | | | | | | | | | | | | | | 28.400 | 15.84 | 0.951 |
|---------------|----------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---------------|--------------|--------------|

Lagerliste Niedermann Holz GmbH

Stand: 05.03.2024, Seite: 35

Nussbaum europ. Klotzbretter, KD

| 82966 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
|-------|----------|--------|-------|----|----|----|----|----|---|---|---|---|----|----|----|----|----|----|----|----|--------------|---------------|-------------|--------------|
| | 5 | 52 | 3.70 | 33 | 40 | 40 | 44 | 44 | | | | | | | | | | | | | 2.010 | 18.500 | 7.44 | 0.387 |
| | 1 | 52 | 3.40 | 28 | | | | | | | | | | | | | | | | | 0.280 | 3.400 | 0.95 | 0.050 |
| | 6 | | | | | | | | | | | | | | | | | | | | | 21.900 | 8.39 | 0.437 |

Nussbaum europ. Klotzbretter, KD

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------|----------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---------------|-------------|--------------|
| Gesamt | 6 | | | | | | | | | | | | | | | | | | | | | 21.900 | 8.39 | 0.437 |
|---------------|----------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---------------|-------------|--------------|

Lagerliste Niedermann Holz GmbH

Stand: 05.03.2024, Seite: 36

| Padouk | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------|------------|--------|-------|---|---|---|---|---|---|---|---|---|----|----|----|----|----|----|----|----|--------------|----------------|--------------|--------------|
| 1 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
| | 27 | 27 | 1.15 | | | | | | | | | | | | | | | | | | 0.175 | 31.050 | 5.43 | 0.147 |
| | 15 | 27 | 1.15 | | | | | | | | | | | | | | | | | | 0.085 | 17.250 | 1.47 | 0.040 |
| | 1 | 27 | 1.15 | | | | | | | | | | | | | | | | | | 0.080 | 1.150 | 0.09 | 0.002 |
| | 43 | | | | | | | | | | | | | | | | | | | | | 49.450 | 6.99 | 0.189 |
| 2 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
| | 144 | 27 | 1.15 | | | | | | | | | | | | | | | | | | 0.175 | 165.600 | 28.98 | 0.782 |
| | 144 | | | | | | | | | | | | | | | | | | | | | 165.600 | 28.98 | 0.782 |
| 3 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
| | 41 | 27 | 1.15 | | | | | | | | | | | | | | | | | | 0.175 | 47.150 | 8.25 | 0.223 |
| | 41 | | | | | | | | | | | | | | | | | | | | | 47.150 | 8.25 | 0.223 |
| Padouk | | | | | | | | | | | | | | | | | | | | | | | | |
| Gesamt | 228 | | | | | | | | | | | | | | | | | | | | | 262.200 | 44.22 | 1.194 |

Lagerliste Niedermann Holz GmbH

Stand: 05.03.2024, Seite: 37

Sipo Klotz

| ASP62C3 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
|---------|----------|--------|-------|----|---|---|---|---|---|---|---|---|----|----|----|----|----|----|----|----|--------------|--------------|-------------|--------------|
| | 1 | 26 | 5.75 | 24 | | | | | | | | | | | | | | | | | 0.240 | 5.750 | 1.38 | 0.036 |
| | 1 | 26 | 2.50 | 31 | | | | | | | | | | | | | | | | | 0.310 | 2.500 | 0.78 | 0.020 |
| | 2 | | | | | | | | | | | | | | | | | | | | | 8.250 | 2.16 | 0.056 |

| 1 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
|---|-----------|--------|-------|---|---|---|---|---|---|---|---|---|----|----|----|----|----|----|----|----|--------------|----------------|--------------|--------------|
| | 30 | 30 | 5.60 | | | | | | | | | | | | | | | | | | 2.400 | 168.000 | 13.44 | 0.403 |
| | 30 | | | | | | | | | | | | | | | | | | | | | 168.000 | 13.44 | 0.403 |

| 2 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
|---|----------|--------|-------|----|----|---|---|---|---|---|---|---|----|----|----|----|----|----|----|----|--------------|---------------|-------------|--------------|
| | 2 | 30 | 6.10 | 15 | 15 | | | | | | | | | | | | | | | | 0.300 | 12.200 | 1.83 | 0.055 |
| | 2 | | | | | | | | | | | | | | | | | | | | | 12.200 | 1.83 | 0.055 |

| SPT-03/1.1 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
|------------|-----------|--------|-------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|--------------|----------------|---------------|--------------|
| | 17 | 33 | 5.80 | 14 | 16 | 17 | 17 | 17 | 17 | 25 | 31 | 31 | 33 | 34 | 34 | 35 | 35 | 36 | 36 | 36 | 4.640 | 98.600 | 26.91 | 0.888 |
| | 17 | 33 | 5.80 | 36 | 36 | 36 | 37 | 37 | 37 | 37 | 38 | 38 | 38 | 38 | 38 | 40 | 40 | 40 | 41 | 41 | 6.480 | 98.600 | 37.58 | 1.240 |
| | 17 | 33 | 5.80 | 41 | 41 | 41 | 41 | 42 | 42 | 42 | 42 | 43 | 43 | 44 | 44 | 45 | 46 | 47 | 47 | 48 | 7.390 | 98.600 | 42.86 | 1.414 |
| | 51 | | | | | | | | | | | | | | | | | | | | | 295.800 | 107.36 | 3.542 |

| SPT-02.1 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
|----------|-----------|--------|-------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|--------------|----------------|--------------|--------------|
| | 17 | 33 | 6.80 | 17 | 25 | 31 | 33 | 34 | 35 | 36 | 36 | 38 | 39 | 41 | 41 | 42 | 43 | 43 | 44 | 44 | 6.220 | 115.600 | 42.30 | 1.396 |
| | 7 | 33 | 6.80 | 44 | 44 | 45 | 46 | 47 | 48 | 48 | | | | | | | | | | | 3.220 | 47.600 | 21.90 | 0.723 |
| | 1 | 33 | 6.50 | 24 | | | | | | | | | | | | | | | | | 0.240 | 6.500 | 1.56 | 0.051 |
| | 1 | 33 | 2.50 | 17 | | | | | | | | | | | | | | | | | 0.170 | 2.500 | 0.43 | 0.014 |
| | 26 | | | | | | | | | | | | | | | | | | | | | 172.200 | 66.18 | 2.184 |

| SPT-02 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
|--------|-----------|--------|-------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|--------------|----------------|--------------|--------------|
| | 17 | 33 | 6.80 | 20 | 24 | 25 | 29 | 30 | 32 | 33 | 34 | 34 | 35 | 36 | 36 | 37 | 37 | 38 | 38 | 38 | 5.560 | 115.600 | 37.81 | 1.248 |
| | 6 | 33 | 6.80 | 42 | 42 | 42 | 43 | 43 | 44 | | | | | | | | | | | | 2.560 | 40.800 | 17.41 | 0.574 |
| | 3 | 33 | 6.50 | 31 | 40 | 46 | | | | | | | | | | | | | | | 1.170 | 19.500 | 7.61 | 0.251 |
| | 1 | 33 | 3.50 | 43 | | | | | | | | | | | | | | | | | 0.430 | 3.500 | 1.51 | 0.050 |
| | 1 | 33 | 3.00 | 14 | | | | | | | | | | | | | | | | | 0.140 | 3.000 | 0.42 | 0.014 |
| | 3 | 33 | 2.50 | 14 | 16 | 17 | | | | | | | | | | | | | | | 0.470 | 7.500 | 1.18 | 0.039 |
| | 31 | | | | | | | | | | | | | | | | | | | | | 189.900 | 65.92 | 2.176 |

| 999.1 | Stück | Stärke | Länge | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Breite total | lfm | m2 | m3 |
|-------|-------|--------|-------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|--------------|--------|-------|-------|
| | 10 | 33 | 5.80 | 32 | 35 | 37 | 39 | 41 | 41 | 42 | 42 | 45 | 45 | | | | | | | | 3.990 | 58.000 | 23.14 | 0.764 |

